



APPENDIX A


OWI Storm Data




































































































































































































































































































































































































































































APPENDIX B

OWI Model Sample Files – Storm Track

storm	numb	er '	1

200607 290100	24.43 -79.	18 980.00	11.00	1.27	11.00
200607 290200	24.43 -79.3	38 980.00	11.00	1.27	11.00
200607 290300	24.44 -79.5	58 980.00	11.00	1.27	11.00
200607 290400	24.44 -79.7	78 980.00	11.00	1.27	11.00
200607 290500	24.44 -79.9	97 980.00	11.00	1.27	11.00
200607 290600	24.44 -80.	17 980.00	11.00	1.27	11.00
200607 290700	24.44 -80.3	37 980.00	11.00	1.27	11.00
200607 290800	24.44 -80.	57 980.00	11.00	1.27	11.00
200607 290900	24.44 -80.7	77 980.00	11.00	1.27	11.00
200607 291000	24.44 -80.9	97 980.00	11.00	1.27	11.00
200607 291100	24.44 -81.	17 979.45	11.00	1.27	11.00
200607 291200	24.44 -81.3	36 978.79	11.00	1.27	11.00
200607 291300	24.44 -81.	56 978.13	11.00	1.27	11.00
200607 291400	24.44 -81.	76 977.47	11.00	1.27	11.00
200607 291500	24.43 -81.9	96 976.80	11.00	1.27	11.00
200607 291600	24.43 -82.	16 976.14	11.00	1.27	11.00
200607 291700	24.43 -82.3	36 975.48	11.00	1.27	11.00
200607 291800	24.42 -82.	55 974.82	11.00	1.27	11.00
200607 291900	24.42 -82.7	75 974.16	11.00	1.27	11.00
200607 292000	24.42 -82.9	95 973.50	11.00	1.27	11.00
200607 292100	24.41 -83.	15 972.84	11.00	1.27	11.00

200607	292200	24.41	-83.35	972.18	11.00	1.27	11.00
200607	292300	24.40	-83.54	971.52	11.00	1.27	11.00
200607	300000	24.40	-83.74	970.85	11.00	1.27	11.00
200607	300100	24.40	-83.94	970.19	11.00	1.27	11.00
200607	300200	24.41	-84.14	969.53	11.00	1.27	11.00
200607	300300	24.42	-84.34	968.87	11.00	1.27	11.00
200607	300400	24.44	-84.54	968.22	11.00	1.27	11.00
200607	300500	24.46	-84.73	967.56	11.00	1.27	11.00
200607	300600	24.49	<i>-84</i> .93	966.90	11.00	1.27	11.00
200607	300700	24.52	-85.12	966.25	11.00	1.27	11.00
200607	300800	24.56	-85.32	965.60	11.00	1.27	11.00
200607	300900	24.60	-85.51	964.96	11.00	1.27	11.00
200607	301000	24.66	-85.70	964.32	11.00	1.27	11.00
200607	301100	24.71	-85.89	963.69	11.00	1.27	11.00
200607	301200	24.77	-86.08	963.06	11.00	1.27	11.00
200607	301300	24.84	-86.27	962.44	11.00	1.27	11.00
200607	301400	24.90	-86.45	961.82	11.00	1.27	11.00
200607	301500	24.97	-86.64	961.20	11.00	1.27	11.00
200607	301600	25.04	-86.82	960.59	11.00	1.27	11.00
200607	301700	25.11	-87.01	960.00	11.00	1.27	11.00
200607	301800	25.18	-87.19	960.00	11.00	1.27	11.00
200607	301900	25.25	-87.38	960.00	11.00	1.27	11.00
200607	302000	25.32	-87.57	960.00	11.00	1.27	11.00

200607	302100	25.40	-87.75	960.00	11.00	1.27	11.00
200607	302200	25.49	-87.92	960.00	11.00	1.27	11.00
200607	302300	25.58	-88.10	960.00	11.00	1.27	11.00
200607	310000	25.67	-88.27	960.00	11.00	1.27	11.00
200607	310100	25.77	-88.44	960.00	11.00	1.27	11.00
200607	310200	25.87	-88.61	960.00	11.00	1.27	11.00
200607	310300	25.99	-88.76	960.00	11.00	1.27	11.00
200607	310400	26.11	-88.92	960.00	11.00	1.27	11.00
200607	310500	26.23	-89.07	960.00	11.00	1.27	11.00
200607	310600	26.35	-89.22	960.00	11.00	1.27	11.00
200607	310700	26.48	-89.37	960.00	11.00	1.27	11.00
200607	310800	26.61	-89.52	960.00	11.00	1.27	11.00
200607	310900	26.74	-89.65	960.00	11.00	1.27	11.00
200607	311000	26.88	-89.79	960.00	11.00	1.27	11.00
200607	311100	27.03	-89.92	960.00	11.00	1.27	11.00
200607	311200	27.17	-90.04	960.00	11.00	1.27	11.00
200607	311300	27.33	-90.16	960.00	11.00	1.27	11.00
200607	311400	27.48	-90.26	960.00	11.00	1.27	11.00
200607	311500	27.65	-90.35	960.00	11.00	1.27	11.00
200607	311600	27.82	-90.44	960.00	11.00	1.27	11.00
200607	311700	27.98	-90.53	960.00	11.00	1.27	11.00
200607	311800	28.15	-90.61	960.00	11.00	1.27	11.00
200607	311900	28.32	-90.68	960.00	11.00	1.27	11.00

200607 312000 28.49 -90.75 960.00 11.00 1.27 11.00 200607 312100 28.66 -90.83 960.00 11.00 1.27 11.00 200607 312200 28.83 -90.91 960.00 11.00 1.27 11.00 200607 312300 29.00 -90.99 960.00 11.00 1.27 11.00 200608 10000 29.17 -91.07 960.00 11.00 1.27 11.00 200608 10100 29.34 -91.14 960.00 11.00 1.27 11.00 200608 10200 29.52 -91.22 960.00 11.00 1.27 11.00 200608 10300 29.69 -91.29 962.75 11.00 1.27 11.00 200608 10400 29.86 -91.37 965.34 11.00 1.27 11.00 200608 10500 30.03 -91.44 967.79 11.00 1.27 11.00 200608 10600 30.20 -91.52 970.09 11.00 1.27 11.00 200608 10700 30.37 -91.59 972.26 11.00 1.27 11.00 200608 10800 30.54 -91.67 974.31 11.00 1.27 11.00 200608 10900 30.71 -91.74 976.24 11.00 1.27 11.00 200608 11000 30.89 -91.82 978.06 11.00 1.27 11.00 200608 11100 31.06 -91.89 979.78 11.00 1.27 11.00 200608 11200 31.23 -91.97 981.39 11.00 1.27 11.00 200608 11300 31.40 -92.04 982.92 11.00 1.27 11.00 200608 11400 31.57 -92.12 984.35 11.00 1.27 11.00 200608 11500 31.74 -92.19 985.71 11.00 1.27 11.00 200608 11600 31.91 -92.27 986.99 11.00 1.27 11.00 200608 11700 32.09 -92.34 988.19 11.00 1.27 11.00 200608 11800 32.26 -92.41 989.32 11.00 1.27 11.00

 200608
 11900
 32.43
 -92.49
 990.39
 11.00
 1.27
 11.00

 200608
 12000
 32.60
 -92.56
 991.40
 11.00
 1.27
 11.00

 200608
 12100
 32.77
 -92.64
 992.35
 11.00
 1.27
 11.00

 200608
 12200
 32.94
 -92.71
 993.25
 11.00
 1.27
 11.00

 200608
 12300
 33.11
 -92.79
 994.10
 11.00
 1.27
 11.00

 200608
 20000
 33.28
 -92.86
 994.89
 11.00
 1.27
 11.00

APPENDIX C

OWI Model Sample Files – TROP Format

APPENDIX PBL- B TROP File

Description of trop file parameters:

Storm Name: CCYYMM date

Storm Number (for season): DDHHNN Date (GMT)

Lat: Latitude in degrees lat

Long: Longitude in degrees long

Rot: Rotation of storm wind field in degrees

S: Denotes whether or not the snap is going to be computed in the tropical model.

S=0 is not computed, any other integer (1,2,3,etc...) means it will get computed.

EyeLat: Latitude of storm center in degrees lat

Direc: Direction of storm movement in meteorological degrees (from which)

Spd: Forward speed of storm in knots

EyPres: Central pressure of storm in millibars

Pfar: Ambient pressure exterior to storm (far-field pressure) in millibars

SGW: Steering flow (surface geostrophic wind) in knots

AN1: Direction of steering flow in meteorological degrees

Rad1: Scale radius of the inner exponential pressure profile in nautical miles

B1: Holland's B.

DP1: Pressure anomaly in millibars (for multiple eye structures).

Rad2: Scale radius of the outer exponential pressure profile in nautical miles.

B2: Holland's B.

.

STORM 1 ,01, Lat, Long, Rot,S, EyeLat,Direc, Spd,EyPres, Pfar, SGW, AN1, Rad1, B1, DP1, Rad2, B2.Comments 200607,290200, 24.430, -79.380, 0.0,1, 24.430,300.0,10.9, 980.0,1013.0, 13.1, 90.0, 11.0, 1.27, , , 200607,290300, 24.440, -79.580, 0.0,1, 24.440,303.1,10.9, 980.0,1013.0, 13.1, 93.1, 11.0, 1.27, 200607,290400, 24.440, -79.780, 0.0,1, 24.440,300.0,10.9, 980.0,1013.0, 13.1, 90.0, 11.0, 1.27, , , 200607,290500, 24.440, -79.970, 0.0,1, 24.440,300.0,10.4, 980.0,1013.0, 12.4, 90.0, 11.0, 1.27, 200607,290600, 24.440, -80.170, 0.0,1, 24.440,300.0,10.9, 980.0,1013.0, 13.1, 90.0, 11.0, 1.27, , , 200607,290700, 24.440, -80.370, 0.0,1, 24.440,300.0,10.9, 980.0,1013.0, 13.1, 90.0, 11.0, 1.27, , , 200607,290800, 24.440, -80.570, 0.0,1, 24.440,300.0,10.9, 980.0,1013.0, 13.1, 90.0, 11.0, 1.27, 200607,290900, 24.440, -80.770, 0.0,1, 24.440,300.0,10.9, 980.0,1013.0, 13.1, 90.0, 11.0, 1.27, , , 200607,291000, 24.440, -80.970, 0.0,1, 24.440,300.0,10.9, 980.0,1013.0, 13.1, 90.0, 11.0, 1.27, , , 200607,291100, 24.440, -81.170, 0.0,1, 24.440,300.0,10.9, 979.5,1013.0, 13.1, 90.0, 11.0, 1.27, 200607,291200, 24.440, -81.360, 0.0,1, 24.440,300.0,10.4, 978.8,1013.0, 12.4, 90.0, 11.0, 1.27, , , 200607,291300, 24.440, -81.560, 0.0,1, 24.440,300.0,10.9, 978.1,1013.0, 13.1, 90.0, 11.0, 1.27, , , 200607,291400, 24.440, -81.760, 0.0,1, 24.440,300.0,10.9, 977.5,1013.0, 13.1, 90.0, 11.0, 1.27, 200607,291500, 24.430, -81.960, 0.0,1, 24.430,296.9,10.9, 976.8,1013.0, 13.1, 86.9, 11.0, 1.27, , , 200607,291600, 24.430, -82.160, 0.0,1, 24.430,300.0,10.9, 976.1,1013.0, 13.1, 90.0, 11.0, 1.27, , , 200607,291700, 24.430, -82.360, 0.0,1, 24.430,300.0,10.9, 975.5,1013.0, 13.1, 90.0, 11.0, 1.27, , , 200607,291800, 24.420, -82.550, 0.0,1, 24.420,296.7,10.4, 974.8,1013.0, 12.5, 86.7, 11.0, 1.27, , , 200607,291900, 24.420, -82.750, 0.0,1, 24.420,300.0,10.9, 974.2,1013.0, 13.1, 90.0, 11.0, 1.27, , , 200607,292000, 24.420, -82.950, 0.0,1, 24.420,300.0,10.9, 973.5,1013.0, 13.1, 90.0, 11.0, 1.27, , , 200607,292100, 24.410, -83.150, 0.0,1, 24.410,296.9,10.9, 972.8,1013.0, 13.1, 86.9, 11.0, 1.27, , ,

```
200607,292200, 24.410, -83.350, 0.0,1, 24.410,300.0,10.9, 972.2,1013.0, 13.1, 90.0, 11.0, 1.27,
200607,292300, 24.400, -83.540, 0.0,1, 24.400,296.7,10.4, 971.5,1013.0, 12.5, 86.7, 11.0, 1.27,
200607,300000, 24.400, -83.740, 0.0,1, 24.400,300.0,10.9, 970.8,1013.0, 13.1, 90.0, 11.0, 1.27, , ,
200607,300100, 24.400, -83.940, 0.0,1, 24.400,300.0,10.9, 970.2,1013.0, 13.1, 90.0, 11.0, 1.27,
200607,300200, 24.410, -84.140, 0.0,1, 24.410,303.1,10.9, 969.5,1013.0, 13.1, 93.1, 11.0, 1.27, , ,
200607,300300, 24.420, -84.340, 0.0,1, 24.420,303.1,10.9, 968.9,1013.0, 13.1, 93.1, 11.0, 1.27,
200607,300400, 24.440, -84.540, 0.0,1, 24.440,306.3,11.0, 968.2,1013.0, 13.2, 96.3, 11.0, 1.27,
200607,300500, 24.460, -84.730, 0.0,1, 24.460,306.6,10.4, 967.6,1013.0, 12.5, 96.6, 11.0, 1.27, , ,
200607,300600, 24.490, -84.930, 0.0,1, 24.490,309.3,11.1, 966.9,1013.0, 13.3, 99.3, 11.0, 1.27,
200607,300700, 24.520, -85.120, 0.0,1, 24.520,309.8,10.5, 966.2,1013.0, 12.6, 99.8, 11.0, 1.27, , ,
200607,300800, 24.560, -85.320, 0.0,1, 24.560,312.4,11.2, 965.6,1013.0, 13.4,102.4, 11.0, 1.27,
200607,300900, 24.600, -85.510, 0.0,1, 24.600,313.0,10.6, 965.0,1013.0, 12.8,103.0, 11.0, 1.27,
200607,301000, 24.660, -85.700, 0.0,1, 24.660,319.1,11.0, 964.3,1013.0, 13.1,109.1, 11.0, 1.27,
200607,301100, 24.710, -85.890, 0.0,1, 24.710,316.1,10.8, 963.7,1013.0, 12.9,106.1, 11.0, 1.27,
200607,301200, 24.770, -86.080, 0.0,1, 24.770,319.1,10.9, 963.1,1013.0, 13.1,109.1, 11.0, 1.27,
200607,301300, 24.840, -86.270, 0.0,1, 24.840,322.0,11.2, 962.4,1013.0, 13.4,112.0, 11.0, 1.27,
200607,301400, 24.900, -86.450, 0.0,1, 24.900,320.1,10.4, 961.8,1013.0, 12.5,110.1, 11.0, 1.27,
200607,301500, 24.970, -86.640, 0.0,1, 24.970,322.1,11.1, 961.2,1013.0, 13.4,112.1, 11.0, 1.27,
200607,301600, 25.040, -86.820, 0.0,1, 25.040,323.2,10.6, 960.6,1013.0, 12.8,113.2, 11.0, 1.27,
200607,301700, 25.110, -87.010, 0.0,1, 25.110,322.1,11.1, 960.0,1013.0, 13.4,112.1, 11.0, 1.27,
200607,301800, 25.180, -87.190, 0.0,1, 25.180,323.2,10.6, 960.0,1013.0, 12.8,113.2, 11.0, 1.27,
200607,301900, 25.250, -87.380, 0.0,1, 25.250,322.1,11.1, 960.0,1013.0, 13.3,112.1, 11.0, 1.27,
200607,302000, 25.320, -87.570, 0.0,1, 25.320,322.1,11.1, 960.0,1013.0, 13.3,112.1, 11.0, 1.27,
```

```
200607,302100, 25.400, -87.750, 0.0,1, 25.400,326.1,10.9, 960.0,1013.0, 13.0,116.1, 11.0, 1.27,
200607,302200, 25.490, -87.920, 0.0,1, 25.490,330.3,10.7, 960.0,1013.0, 12.8,120.3, 11.0, 1.27,
200607,302300, 25.580, -88.100, 0.0,1, 25.580,328.9,11.1, 960.0,1013.0, 13.4,118.9, 11.0, 1.27,
200607,310000, 25.670, -88.270, 0.0,1, 25.670,330.3,10.6, 960.0,1013.0, 12.8,120.3, 11.0, 1.27,
200607,310100, 25.770, -88.440, 0.0,1, 25.770,333.1,11.0, 960.0,1013.0, 13.1,123.1, 11.0, 1.27,
200607,310200, 25.870, -88.610, 0.0,1, 25.870,333.1,11.0, 960.0,1013.0, 13.1,123.1, 11.0, 1.27,
200607,310300, 25.990, -88.760, 0.0,1, 25.990,341.6,10.8, 960.0,1013.0, 13.0,131.6, 11.0, 1.27,
200607,310400, 26.110, -88.920, 0.0,1, 26.110,339.8,11.2, 960.0,1013.0, 13.5,129.8, 11.0, 1.27,
200607,310500, 26.230, -89.070, 0.0,1, 26.230,341.6,10.8, 960.0,1013.0, 13.0,131.6, 11.0, 1.27,
200607,310600, 26.350, -89.220, 0.0,1, 26.350,341.7,10.8, 960.0,1013.0, 13.0,131.7, 11.0, 1.27,
200607,310700, 26.480, -89.370, 0.0,1, 26.480,344.0,11.2, 960.0,1013.0, 13.4,134.0, 11.0, 1.27,
200607,310800, 26.610, -89.520, 0.0,1, 26.610,344.0,11.2, 960.0,1013.0, 13.4,134.0, 11.0, 1.27,
200607,310900, 26.740, -89.650, 0.0,1, 26.740,348.1,10.4, 960.0,1013.0, 12.5,138.1, 11.0, 1.27,
200607,311000, 26.880, -89.790, 0.0,1, 26.880,348.2,11.2, 960.0,1013.0, 13.5,138.2, 11.0, 1.27,
200607,311100, 27.030, -89.920, 0.0,1, 27.030,352.2,11.3, 960.0,1013.0, 13.6,142.2, 11.0, 1.27,
200607,311200, 27.170, -90.040, 0.0,1, 27.170,352.6,10.5, 960.0,1013.0, 12.6,142.6, 11.0, 1.27,
200607,311300, 27.330, -90.160, 0.0,1, 27.330,356.2,11.5, 960.0,1013.0, 13.8,146.2, 11.0, 1.27,
200607,311400, 27.480, -90.260, 0.0,1, 27.480,359.3,10.4, 960.0,1013.0, 12.5,149.3, 11.0, 1.27,
200607,311500, 27.650, -90.350, 0.0,1, 27.650, 4.8,11.2, 960.0,1013.0, 13.5,154.8, 11.0, 1.27,
200607,311600, 27.820, -90.440, 0.0,1, 27.820, 4.8,11.2, 960.0,1013.0, 13.5,154.8, 11.0, 1.27,
200607,311700, 27.980, -90.530, 0.0,1, 27.980, 3.5,10.7, 960.0,1013.0, 12.8,153.5, 11.0, 1.27,
200607,311800, 28.150, -90.610, 0.0,1, 28.150, 7.4,11.0, 960.0,1013.0, 13.2,157.4, 11.0, 1.27,
200607,311900, 28.320, -90.680, 0.0,1, 28.320, 10.0,10.8, 960.0,1013.0, 13.0,160.0, 11.0, 1.27, , ,
```

```
200607,312000, 28.490, -90.750, 0.0,1, 28.490, 10.0,10.8, 960.0,1013.0, 13.0,160.0, 11.0, 1.27,
200607,312100, 28.660, -90.830, 0.0,1, 28.660, 7.5,11.0, 960.0,1013.0, 13.2,157.5, 11.0, 1.27,
200607,312200, 28.830, -90.910, 0.0,1, 28.830, 7.5,11.0, 960.0,1013.0, 13.2,157.5, 11.0, 1.27,
200607,312300, 29.000, -90.990, 0.0,1, 29.000, 7.5,11.0, 960.0,1013.0, 13.2,157.5, 11.0, 1.27,
200608, 10000, 29.170, -91.070, 0.0,1, 29.170, 7.6,11.0, 960.0,1013.0, 13.2,157.6, 11.0, 1.27,
200608, 10100, 29.340, -91.140, 0.0,1, 29.340, 10.2,10.8, 960.0,1013.0, 13.0,160.2, 11.0, 1.27,
200608, 10200, 29.520, -91.220, 0.0,1, 29.520, 8.8,11.5, 960.0,1013.0, 13.9,158.8, 11.0, 1.27,
200608, 10300, 29.690, -91.290, 0.0,1, 29.690, 10.2,10.8, 962.7,1013.0, 13.0,160.2, 11.0, 1.27,
200608, 10400, 29.860, -91.370, 0.0,1, 29.860, 7.7,11.0, 965.3,1013.0, 13.2,157.7, 11.0, 1.27,
200608, 10500, 30.030, -91.440, 0.0,1, 30.030, 10.3,10.8, 967.8,1013.0, 13.0,160.3, 11.0, 1.27,
200608, 10600, 30.200, -91.520, 0.0,1, 30.200, 7.8,11.0, 970.1,1013.0, 13.2,157.8, 11.0, 1.27,
200608, 10700, 30.370, -91.590, 0.0,1, 30.370, 10.4,10.8, 972.3,1013.0, 12.9,160.4, 11.0, 1.27,
200608, 10800, 30.540, -91.670, 0.0,1, 30.540, 7.8,11.0, 974.3,1013.0, 13.2,157.8, 11.0, 1.27,
200608, 10900, 30.710, -91.740, 0.0,1, 30.710, 10.4,10.8, 976.2,1013.0, 12.9,160.4, 11.0, 1.27,
200608, 11000, 30.890, -91.820, 0.0,1, 30.890, 9.0,11.5, 978.1,1013.0, 13.8,159.0, 11.0, 1.27,
200608, 11100, 31.060, -91.890, 0.0,1, 31.060, 10.5,10.8, 979.8,1013.0, 12.9,160.5, 11.0, 1.27,
200608, 11200, 31.230, -91.970, 0.0,1, 31.230, 8.0,11.0, 981.4,1013.0, 13.2,158.0, 11.0, 1.27,
200608, 11300, 31.400, -92.040, 0.0,1, 31.400, 10.6,10.8, 982.9,1013.0, 12.9,160.6, 11.0, 1.27,
200608, 11400, 31.570, -92.120, 0.0,1, 31.570, 8.1,11.0, 984.3,1013.0, 13.1,158.1, 11.0, 1.27,
200608, 11500, 31.740, -92.190, 0.0,1, 31.740, 10.6,10.8, 985.7,1013.0, 12.9,160.6, 11.0, 1.27,
200608, 11600, 31.910, -92.270, 0.0,1, 31.910, 8.1,10.9, 987.0,1013.0, 13.1,158.1, 11.0, 1.27,
200608, 11700, 32.090, -92.340, 0.0,1, 32.090, 11.7,11.3, 988.2,1013.0, 13.6,161.7, 11.0, 1.27,
200608, 11800, 32.260, -92.410, 0.0,1, 32.260, 10.7,10.8, 989.3,1013.0, 12.9,160.7, 11.0, 1.27,
```

APPENDIX D

OWI Model Sample Files – PRE/WIN Format


APPENDIX PBL-C WIN/PRE File Format

Oceanweather WIN and PRE File Formats

iLong is the number of meridions

DX is the grid spacing in degrees of longitude

Winds and pressure data formats are similar. The header format is the same, but in the wind file the header is followed by U then V components while in the pressure file the header is followed by just pressures. The file begins with a header indicating the starting and ending dates and is followed by a grid/date header for each time step and the u and v components of the wind in meters/second or pressures in millibars. Starting/Ending dates are in YYYYMMDDHH format where:



DY is the grid spacing in degrees of latitude

SWLat is the latitude of the South West corner

SWIon is the longitude of the South West corner

Dt is the date/time in YYYYMMDDHHmm (same as master header date format but with mm Minutes as well)

The number of grid points is iLat*iLong, the u component of the winds in meters/second is followed by the v component.

Wind Speed/Meteorological Wind Direction can be computed from the u/v components as follows:

WS = sqrt(uu(iLong,iLat)**2 + vv(iLong,iLat)**2)

WDIR = mod(180.+atan2d(UU(iLong,iLat),VV(iLong,iLat)),360.)