## 6.3/6.4 - Volumes of Revolution & The Method of Cylindrical Shells

1. Find the volume of the solid obtained by rotating the region bounded by the given curves about the specified line. Your construction should have one single integral for the volume you like to find.

**a.**  $y = x^2$ , y = 6 - x, x = 0 about the line y = -1. **b.**  $y = x^2$ , y = 6 - x, y = 0 about the line y = -1.

## 6.5 - Work and Energy

The work done W by a **constant** force F Newton applied to displace an object S meters (constant) is given by

$$W = F \times S$$
 Nm (or Joules).

The work done measures the amount of energy expended in carrying out this task.

2. A 300 kg chain 100 m in length is attached at one end to a crank on the top of a 300 m building, and the rest of the chain is allowed to hang freely on the side of the building from the crank. (a) How much work is done when the whole chain is cranked up to the top of the tower? (b) If a 20 kg weight is attached to the bottom end of the chain, how would the amount of work change? (c) How much work is done to crank, to the top of the tower, **three quarter** of the chain with the weight attached to the bottom of the chain?Assume that the chain has uniform linear density.

You may take the acceleration due to gravity as  $g = 10 \text{ m/s}^2$ .

## Math 10360 – Example Set 04B Section 6.5 - Work and Energy

**1a.** (SI units) A cistern is shaped like a cylinder of height 6 m and radius 10 m. The circular opening (10 m in radius) of the cistern is at ground level and the rest of the cistern is buried below ground. Compute the amount of work done (in Nm (Joules)) in pumping all the water out of the cistern from ground level if it is filled completely with water. Mass density of water is 1000 kg/m<sup>3</sup>.

**1b.** How would you change your answer in 1(a) if all the water is pumped to a level 2 m above the opening of the cistern?

1c. How would you change your answer in 1(a) if the cistern is a regular inverted cone?

You may take the acceleration due to gravity as  $g = 10 \text{ m/s}^2$ .

## Math 10360 – Example Set 04C Section 6.5 - Work and Energy

1. A 10 m long uniform chain weighing 30 kg lying completely at the foot of a 50 m building. (a) What is the work done to wrench one end to the top of the building with the rest of the chain dangling free from that end? (b) What is the work done if the wrenched end of the chain is 30 m above ground? (c) What is the work done if the wrenched end of the chain is 5 m above ground (with half of the chain left on the ground)?

You may take the acceleration due to gravity as  $g = 10 \text{ m/s}^2$ .