HOMEWORK 2

DUE THURSDAY, FEB 18 (DUE TO THE FACT THAT TUESDAY, FEB 16 IS AN MIT MONDAY

1. Verify the following isomorphisms:

(a) For $X \in \text{Top}_*$, show that there is an isomorphism

$$\tau_{n-1}(\Omega X) \cong \pi_n(X).$$

(b) Let X be an unbased space. The unreduced suspension Susp(X) is the space obtained from $X \times I$ by identifying all of the points in $X \times \{0\}$ and all of the points in $X \times \{1\}$. We do not identify points in $X \times \{0\}$ with points in $X \times \{1\}$. Show that there is an isomorphism

$$H_{n+1}(\operatorname{Susp} X) \cong H_n(X)$$

for n greater than or equal to 1.

2. Hopf fibration. The purpose of this problem is to verify that there exists a nontrivial element of $\pi_3(S^2)$. The Hopf fibration is a map $\eta : S^3 \to S^2$. It is defined by viewing S^2 as $\mathbb{C}P^1$, and S^3 as the unit sphere in \mathbb{C}^2 . The map η is then defined by

$$\eta(x,y) = [x:y].$$

(Here, [x:y] denotes the complex line in \mathbb{C}^2 spanned by the vector (x, y).)

(a) Let X be the CW complex given by attaching a 4-disk along η .

Show that X is homeomorphic to $\mathbb{C}P^2$.

(b) Show that if η is null homotopic, then X is homotopy equivalent to $S^2 \vee S^4$.

(c) Deduce that η cannot be null homotopic by computing the cup product structure on $H^*(X)$.

3. (problem 3 on p358 of Hatcher) For an H-space (X, x_0) with multiplication $\mu: X \times X \to X$, show that the group operation in $\pi_n(X, x_0)$ can also be defined by the rule $(f + g)(x) = \mu(f(x), g(x))$. (For the notion of an H-space, consult section 3.C of Hatcher, p281.)

4. (problem 1 on p69 of May) Show that, if $n \ge 2$, then $\pi_n(X \lor Y)$ is isomorphic to $\pi_n(X) \oplus \pi_n(Y) \oplus \pi_{n+1}(X \times Y, X \lor Y)$.