Name: ______________________________

Instructor: __________________________

Math 20550. Exam 3, Practice Exam
November 7, 2015

- The Honor Code is in effect for this examination. All work is to be your own.
- No calculators.
- The exam lasts for 1 hour and 15 minutes..
- Be sure that your name is on every page in case pages become detached.
- Be sure that you have all 9 pages of the test.
- Each multiple choice question is 6 points, each partial credit problem is 12 points. You will receive 4 extra points.

PLEASE MARK YOUR ANSWERS WITH AN X, not a circle!

1.	(a)	(b)	(c)	(d)	(e)
2.	(a)	(b)	(c)	(d)	(e)
3.	(a)	(b)	(c)	(d)	(e)
4.	(a)	(b)	(c)	(d)	(e)
5.	(a)	(b)	(c)	(d)	(e)
6.	(a)	(b)	(c)	(d)	(e)
7.	(a)	(b)	(c)	(d)	(e)
8.	(a)	(b)	(c)	(d)	(e)
9.	(a)	(b)	(c)	(d)	(e)
10.	(a)	(b)	(c)	(d)	(e)

Please do NOT write in this box.

Multiple Choice	________
11.	________
12.	________
13.	________
Extra Points.	4
Total:	________

Name: ______________________________

Instructor: __________________________

Multiple Choice

1.(6 pts) Evaluate the integral $\iint_D e^{-x^2-y^2}\,dA$ by changing to the polar coordinates, where $D = \{(x,y)|x^2+y^2 \le 1\}$.

(a) $\pi(1-e^{-1})$ (b) $\pi(e^{-1}-1)$ (c) $\pi(1-e)$ (d) $\pi(e-1)$ (e) πe

2.(6 pts) Consider the loop (one leaf) of the 4-leaf rose $r = \cos 2\theta$ which is entirely contained in the first and fourth quadrant.



If this region has density $\rho(x,y) = x^2+y^2$ then which of the following integrals is the moment about the y-axis.

(a) $M_y = \int_{-\pi/4}^{\pi/4}\int_0^{\cos 2\theta} xr^3\,dr\,d\theta$

(b) $M_y = \int_{-\pi/2}^{\pi/2}\int_0^{\cos 2\theta} r^4\cos\theta\,dr\,d\theta$

(c) $M_y = \int_{-\pi/4}^{\pi/4}\int_0^{\cos 2\theta} r^4\cos\theta\,dr\,d\theta$

(d) $M_y = \int_{-\pi/4}^{\pi/4}\int_0^{\cos 2\theta} r^3\cos\theta\,dr\,d\theta$

(e) $M_y = \int_{-\pi/2}^{\pi/2}\int_0^{\cos 2\theta} r^3\cos\theta\,dr\,d\theta$

Name: ______________________________

Instructor: __________________________

3.(6 pts) Evaluate $\int\int\int_E zy dV$, where

$$E = \{(x, y, z) \,|\, 0 \leq x \leq 2, \quad 0 \leq y \leq \sqrt{4 - x^2}, \quad 0 \leq z \leq x\}.$$

(a) 4 (b) 2 (c) 1 (d) $\frac{16}{15}$ (e) $\frac{1}{2}$

4.(6 pts) A solid E lies within the cylinder $x^2 + y^2 = 1$, below the plane $z = 4$ and above $z = 1 - x^2 - y^2$. The density at any point is equal to its distance from the z axis. Find an integral that computes the mass of E.

(a) $\int_0^{2\pi} \int_0^1 \int_{1-r^2}^4 r^2 \, dz \, dr \, d\theta$

(b) $\int_0^{2\pi} \int_0^1 \int_4^{1-r^2} r^2 \, dz \, dr \, d\theta$

(c) $\int_0^{2\pi} \int_0^1 \int_{1-r^2}^4 r \, dz \, dr \, d\theta$

(d) $\int_0^{2\pi} \int_0^1 \int_{4-r^2}^1 r^2 \, dz \, dr \, d\theta$

(e) $\int_0^{2\pi} \int_0^1 \int_{1-r^2}^1 r^2 \, dz \, dr \, d\theta$

Name: ______________________________

Instructor: __________________________

5.(6 pts) Let E be the region between the spheres $x^2+y^2+z^2=z$ and $x^2+y^2+z^2=2z$. Which of the following represents $\int\int\int_E (x^2+y^2)\,dV$ in spherical coordinates?

(a) $\int_0^{2\pi}\int_0^{\pi/2}\int_1^2 \rho^4\sin(\phi)\,d\rho\,d\phi\,d\theta$

(b) $\int_0^{2\pi}\int_0^{\pi/2}\int_{\cos(\theta)}^{2\cos(\theta)} \rho^4\sin^3(\theta)\,d\rho\,d\phi\,d\theta$

(c) $\int_0^{2\pi}\int_0^{\pi/2}\int_{\cos(\phi)}^{2\cos(\phi)} \rho^4\sin^3(\phi)\,d\rho\,d\phi\,d\theta$

(d) $\int_0^{2\pi}\int_{-\pi/2}^{\pi/2}\int_{\cos(\phi)}^{2\cos(\phi)} \rho^4\sin^3(\phi)\,d\rho\,d\phi\,d\theta$

(e) $\int_0^{2\pi}\int_0^{\pi/2}\int_{\cos(\phi)}^{2\cos(\phi)} \rho^2\sin(\phi)\,d\rho\,d\phi\,d\theta$

6.(6 pts) Find $\int_C 2xy^3 ds$, where C is the upper half of the circle $x^2+y^2=4$.

(a) 2π (b) 4 (c) 0 (d) 8 (e) 4π

Name: ____________________________

Instructor: ________________________

7.(6 pts) The following figure shows a vector field $\mathbf{F}$ on $\mathbb{R}^2$ and a curve C from $(1,1)$ to $(-1,-1)$.



Which of the following statements **must be true** about the line integral of $\mathbf{F}$ over C?

(a) It must be negative.

(b) It must be positive.

(c) It must be zero.

(d) It must be 1.

(e) It is impossible to tell from the image.

8.(6 pts) Calculate $\int_C y dx + 4x dy$ where C is the curve $\mathbf{r}(t) = \langle t^2, t\rangle$, $0 \le t \le 1$.

(a) -2 (b) 4 (c) $\dfrac{4}{3}$ (d) -4 (e) 2

Name: ______________________________

Instructor: __________________________

9.(6 pts) Which one of the following vector fields is conservative?

(a) $\mathbf{F} = (3x^2 + ye^{xy})\mathbf{i} + (9y^8 + xe^{xy})\mathbf{j}$

(b) None of these vector fields are conservative.

(c) $\mathbf{F} = \big(\sin(y) + 2x\big)\mathbf{i} + \sin(y)\mathbf{j}$

(d) $\mathbf{F} = (3x^2 + xe^{xy})\mathbf{i} + (9y^8 + ye^{xy})\mathbf{j}$

(e) $\mathbf{F} = x\mathbf{i} + x\mathbf{j}$

10.(6 pts) Using the Fundamental Theorem of Line Integrals, evaluate

$$\int_C \big(e^x y + x^2\big)\,dx + \big(e^x + \cos(y)\big)\,dy$$

where C is any smooth curve from $(1, 0)$ to $(0, \pi)$.

(a) $\frac{2}{3}$ (b) $\pi - \frac{1}{3}$ (c) 0 (d) π (e) $-\pi$

Name: ______________________________

Instructor: __________________________

Partial Credit

You must show your work on the partial credit problems to receive credit!

11.(12 pts.) Find $\bar{z}$, the z coordinate of the center of mass, for the solid S bounded by paraboloid $z = x^2 + y^2$ and the plane $z = 1$ if S has constant density 1 and the total mass $\frac{\pi}{2}$.

Name: ______________________________

Instructor: __________________________

12.(12 pts.) Use the transformation $x = u^2$ and $y = v^2$ to find the area of the region bounded by the curves $\sqrt{x} + \sqrt{y} = 1$, x-axis and y-axis.

Name: ______________________________

Instructor: ___________________________

13.(12 pts.) Let C be the helix given by the equation $\mathbf{r}(t) = \langle \cos t, \sin t, 8t \rangle$, $0 \leq t \leq \dfrac{\pi}{4}$. Find $\int_C \mathbf{F} \cdot d\mathbf{r}$ for $\mathbf{F} = \langle x^2, -xy, 0 \rangle$.