

# Homework 4: CFGs and PDAs

CSE 30151 Spring 2017

Due Friday, 2017/03/03 at 11:55pm

## Instructions


- Create a PDF file (or files) containing your solutions.
- Please name your PDF file(s) as follows:
  - If you're making a complete submission, please name your PDF file `netid-hw4.pdf`, where `netid` is replaced with your NetID.
  - If you're submitting some problems now and want to submit other problems later, name your PDF file `netid-hw4-123.pdf`, where `123` is replaced with the problems you are submitting at this time.
- Submit your PDF file in Sakai. Don't forget to click Submit!

## Problems

Each problem is worth 10 points. Wherever you are asked to write a CFG, don't forget to specify the start symbol if it is not  $S$ . Wherever you are asked to write a PDA, either a formal description or a state diagram is fine. It will be helpful both to you and the grader to preface a PDA with an *informal* description.

1. **Designing CFGs and PDAs.** For each of the following languages, write a context-free grammar that generates it *and* a pushdown automaton that recognizes it.
  - (a) [Exercise 2.4e]  $\{w \in \{0,1\}^* \mid w = w^R\}$ , that is, the language of all palindromic bitstrings.
  - (b) [Exercise 2.6b] The complement of  $\{0^n 1^n \mid n \geq 0\}$ . Hint: Use the fact that this is equal to  $\{0^m 1^n \mid m \neq n\} \cup \{w \mid w \text{ contains } 10\}$ .

2. **There and back again.** Consider the following CFG and PDA, which both recognize the language  $\{ww^R \mid w \in \{0, 1\}^*\}$ :



(The PDA is the same as  $M_3$  in Example 2.18, but modified to meet the requirements of the proof of Lemma 2.27.)

- (a) Convert the CFG to a PDA using the construction in the proof of Lemma 2.21. Briefly write down your observations about whether the resulting PDA looks like the one above.
  - (b) Convert the PDA to a CFG using the construction in the proof of Lemma 2.27. You don't need to include useless nonterminals (those that cannot be used in any complete derivation). Briefly write down your observations about whether the resulting CFG looks like the one above.
3. **Surprisingly context-free** [Problem 2.23]. Let  $\Sigma = \{0, 1\}$ . In Week 7, we will see that the language  $\{xx \mid x \in \Sigma^*\}$  is *not* context-free. In this problem, you will prove that the following language *is* context-free:

$$D = \{xy \mid x, y \in \Sigma^*, |x| = |y|, x \neq y\}.$$

That is, strings of even length where the first and second halves are different. Prove this in two steps:

- (a) Show that another way of writing  $D$  is

$$D = \{uavwbz \mid u, v, w, z \in \Sigma^*, |u| = |v|, |w| = |z|; a, b \in \Sigma, a \neq b\}.$$

That is, strings that can be cut into two odd-length pieces ( $uav$  and  $wbz$ ) that have different middle symbols ( $a$  and  $b$ ).

- (b) Prove that  $D$  is context-free by writing either a context-free grammar or a pushdown automaton for it.