## Homework 1: Strings and languages

Theory of Computing (CSE 30151), Spring 2023

Due: 2023-01-27 11:59pm

## Instructions

- Create a PDF file (or files) containing your solutions. You can write your solutions by hand, but please scan them into a PDF.
- Please name your PDF file(s) as follows to ensure that the graders give you credit for all of your work:
  - If you're making a complete submission, name it netid-hw1.pdf, where netid is replaced with your NetID.
  - If you're submitting some problems now and want to submit other problems later, name it netid-hw1-123.pdf, where 123 is replaced with the problem number(s) you are submitting at this time.
- Submit your PDF file(s) in Canvas.

## Problems (10 points each)

## 1. Proof practice.

(a) Convert this paragraph proof to a statement–reason proof. Please be sure to write which statement(s) each statement depends on.

To show: If s is a string, every substring of a substring of s is a substring of s.

Proof: Let y be a substring of s, that is, s = xyz for some x, z; and let v be a substring of y, that is, y = uvw for some u, w. Then s = xuvwz, so v is a substring of s.

(b) Convert this statement—reason proof to a paragraph proof.

To show: If w is a string, every prefix of a suffix of w is a suffix of a prefix of w.

1. v is a suffix of w Given 2. y is a prefix of v Given 3.  $\exists x$  s.t. xv = w (1), def. suffix 4.  $\exists z$  s.t. yz = v (2), def. prefix 5. xyz = w (3), (4), substitution 6. xy is a prefix of w (5), def. prefix 7. y is a suffix of xy (6), def. suffix

2. **String homomorphisms.** If  $\Sigma$  and  $\Gamma$  are finite alphabets, define a *string homomorphism* to be a function  $\phi: \Sigma^* \to \Gamma^*$  that has the property that for any  $u, v \in \Sigma^*$ ,  $\phi(uv) = \phi(u) \phi(v)$ .

For example, the function  $\phi: \{0, \ldots, 9, A, \ldots, F\}^* \to \{0, 1\}^*$  that converts a hexadecimal number with  $n \geq 0$  digits into a binary number with 4n bits is a string homomorphism:

$$\begin{split} \phi(\varepsilon) &= \varepsilon \\ \phi(0) &= 0000 \\ \phi(\mathtt{A}) &= 1010 \\ \phi(\mathtt{CAB}) &= 110010101011 \end{split}$$

Intuitively, a string homomorphism does a "search and replace" where each symbol is replaced with a (possibly empty) string. Prove this more formally: that is, prove that if  $\phi$  is a string homomorphism, then for any  $w = w_1 \cdots w_n$  (where  $n \geq 0$  and  $w_j \in \Sigma$  for  $1 \leq j \leq n$ ), we have

$$\phi(w) = \phi(w_1) \cdots \phi(w_n). \tag{*}$$

Use induction on n.

- (a) State and prove the base case (n = 0).
- (b) Assume that (\*) is true for n = i and prove (\*) for n = i + 1.

You may assume the following facts about strings:

Added on 2023-01-23

- For all  $x \in \Sigma^*$ ,  $x \varepsilon = x$  and  $\varepsilon x = x$ .
- For all  $x, y, z \in \Sigma^*$ , if xz = yz then x = y.
- For all  $x, y, z \in \Sigma^*$ , if xy = xz then y = z.
- 3. Finite and cofinite. Let  $\Sigma = \{a, b\}$ . Define FINITE to be the set of all finite languages over  $\Sigma$ , and let

$$\mathsf{coFINITE} = \{L \mid \overline{L} \in \mathsf{FINITE}\}$$

(where, for any language L over  $\Sigma$ ,  $\overline{L}$  is the complement of L, that is,  $\Sigma^* \setminus L$ ). For example,  $\Sigma^*$  is in coFINITE because its complement is  $\emptyset$ , which is finite.

(Please think carefully about this definition, and note that  $\mathsf{coFINITE}$  isn't the same thing as  $\overline{\mathsf{FINITE}}$ .)

- (a) Are there any languages over  $\Sigma$  in FINITE  $\cap$  coFINITE? Prove your answer.
- (b) Are there any languages over  $\Sigma$  that are not in <code>FINITE</code>  $\cup$  <code>coFINITE</code>? Prove your answer.