Department of Mathematics University of Notre Dame Math 10120 – Finite Math

Name:	
Instructors:	Migliore
Dractice E. a. III // 2	Practice exam 3c

This exam is in two parts on 9 pages and contains 13 problems worth a total of 100 points. You have 1 hour and 15 minutes to work on it. You may use a calculator, but no books, notes, or other aid is allowed. Be sure to write your name on this title page and put your initials at the top of every page in case pages become detached.

You must record on this page your answers to the multiple choice problems.

The partial credit problems should be answered on the page where the problem is given. The spaces on the bottom right part of this page are for me to record your grades, **not** for you to write your answers.

Place an  $\times$  through your answer to each problem.

1.	(a)	(b)	(c)	(d)	(e)
2.	(a)	(b)	(c)	(d)	(e)
3.	(a)	(b)	(c)	(d)	(e)
4.	(a)	(b)	(c)	(d)	(e)
5.	(a)	(b)	(c)	(d)	(e)
6.	(a)	(b)	(c)	(d)	(e)
7.	(a)	(b)	(c)	(d)	(e)
8.	(a)	(b)	(c)	(d)	(e)
9.	(a)	(b)	(c)	(d)	(e)
10.	(a)	(b)	(c)	(d)	(e)

11.	_
11.	
12.	
13.	
Tot.	

## **Multiple Choice**

1. (5 pts.) The recovery rate for a certain fish disease is 25%. An aquarium has 8 fish with the disease. What is the probability that exactly two of them recover (to the nearest two decimal places)?

- (a) 0.50
- (b) 0.31
- (c) 0.25
- (d) 1.00
- (e) 0.13

2. (5 pts.) In the following probability distribution

outcome	probability
12	1/2
15	1/3
18	1/6

the mean is 14 (you don't have to verify this). Find the variance.

- (a) 2
- (b) 3
- (c) 1
- (d) 4
- (e) 5

**3.** (5 pts.) Let Z be a random variable corresponding to the standard normal curve. Find  $Pr(-1 \le Z \le 2)$ . Use the table at the end of the exam.

(a) 0.7623

(b) 0.8185

(c) 0.1359

(d) .9987

(e) 0.9772

4. (5 pts.) Let Z be a random variable corresponding to the standard normal curve. Find the value of b so that  $Pr(0.5 \le Z \le b) = 0.2590$ . Use the table at the end of this exam.

(a) b = 1.65

(b) b = 0.65

(c) b = 1.55

(d) b = 0.5325

(e) b = 0.75

5. (5 pts.) Assume that the heights of NBA players are normally distributed, with a mean of 80 inches, and a standard deviation of 4 inches. If an NBA player is chosen at random, what is the probability that he is at least 85 inches tall? Use the table at the end of this exam.

- (a) 8.72%
- (b) 9.28%
- (c) 89.44%
- (d) 10.56%
- (e) 0%


**6.** (5 pts.) Let X be a random variable associated to a normal curve with mean  $\mu = 25$  and standard deviation  $\sigma$ . If  $Pr(X \le 30) = 97.72\%$ , find the value of  $\sigma$ .

- (a)  $\sigma = 1.5$
- (b)  $\sigma = 3$
- (c)  $\sigma = 1$
- (d)  $\sigma = 2.5$
- (e)  $\sigma = 2$

7. (5 pts.) Find the intersection point of the lines 2x + 3y = 13 and x + 2y = 8.

- (a) (2,3)
- (b) (4,2)
- (c) (3,2)
- (d) (1,2)
- (e) (5,1)

**8.** (5 pts.) What is the maximum of the objective function (rounded off to two decimal places) 2x + 4y on the feasible set shown as the shaded region in the diagram below?



- (a) 22.48
- (b) 13.33
- (c) 18.67
- (d) 18.18
- (e) 16.73

# **9.** (5 pts.)

(a)


Below we give three inequalities A, B and C:


A: 
$$2x + 3y \ge 12$$


B: 
$$2x - y \le 2$$


$$C: \qquad \qquad y \qquad > \qquad 2$$

Which of the pictures below shows the correct graphs of A, B and C?









(e) None of the above

(d)

10. (5 pts.) Joe and Mary run a small business producing tables and chairs. Joe produces the parts for the furniture and Mary assembles the furniture. It takes Joe 10 hours to produce the parts for a table and it takes him 4 hours to produce the parts for one chair. It takes Mary one hour to assemble a table and two hours to assemble a chair. Joe has 40 hours to devote to making furniture parts each week and Mary has 8 hours to devote to assembling furniture each week. Each table sold brings a profit of \$200 and each chair sold brings a profit of \$50. Mary and Joe sell all of the furniture that they produce and wish to maximize profits. Let x denote the number of tables that Mary and Joe make in a week and let y denote the number of chairs they make in a week, which of the following give the constraints on x and y and the objective function?

(a) 
$$\begin{cases} 4x + & 10y \le 40 \\ 2x + & y \le 8 \\ & y \ge 0 \\ & x \ge 0 \end{cases}$$
 Obj. Function:  $50x + 200y$ 

#### **Partial Credit**

You must show all of your work on the partial credit problems to receive credit! Make sure that your answer is clearly indicated. You're more likely to get partial credit for a wrong answer if you explain your reasoning.

- 11. (15 pts.) The Wooly Sweater Company ships sweaters in bins containing 1000 sweaters each. The number of sweaters in a bin that are ruined by insects is normally distributed, with a mean of 15 and a standard deviation of 3.
- (a) Sketch a normal curve for this random variable, indicating where the 15 and the 3 can be found in the curve.

(b) The Sweaters-R-Us company of Mytown, PA, receives a bin from the Wooly Sweater Company. What is the probability that it contains at most 21 ruined sweaters? Use the table at the end of this exam.

(c) These sweaters are selling like hotcakes, and the Sweaters-R-Us company is taking pre-orders for the next bin that will arrive. They want to be at least 95% sure that there will be enough unruined sweaters to cover the pre-orders. How many pre-orders should they accept? (Hint: they are 95% sure that the number of bad sweaters will be at most how many?)

- 12. (15 pts.) Every day the state lottery randomly chooses a whole number from 1 to 100 (inclusive), all equally likely to occur.
- (a) Every day Bob chooses a number. What is his probability of getting it right on any given day? What is his probability of getting it wrong?

(b) If he plays this game 400 times, what is the expected value for the number of correct guesses?

(c) If he plays this game 99 times, what is the variance?


(d) If he plays this game 99 times, what is the standard deviation?

**13.** (15 pts.)

Consider the set of inequalities given by:

$$\begin{array}{cccc}
2y+ & x & \leq & 8 \\
y+ & 3x & \geq & 9 \\
& x & \geq & 0 \\
& y & \geq & 0 \\
& x & \leq & 6
\end{array}$$


(a) Graph the feasible set corresponding to this set of inequalities on the set of axes provided. (Make sure you shade the region corresponding to the feasible set and clearly identify the region as the feasible set.)



(b) Find the vertices of the above feasible set.

(c) Find the **minimum** value of the objective function 5x + 4y on the above feasible set.

### Areas under the Standard Normal Curve



z A	A(z)	z	A(z)	z	A(z)	z	A(z)	z	A(z)
-3.50 .0	0002	-2.00	.0228	50	.3085	1.00	.8413	2.50	.9938
-3.45 .0	0003	-1.95	.0256	45	.3264	1.05	.8531	2.55	.9946
	0003	-1.90	.0287	40	.3446	1.10	.8643	2.60	.9953
-3.35 .0	0004	-1.85	.0322	35	.3632	1.15	.8749	2.65	.9960
-3.30 .0	0005	-1.80	.0359	30	.3821	1.20	.8849	2.70	.9965
-3.25 .0	0006	-1.75	.0401	25	.4013	1.25	.8944	2.75	.9970
-3.20 .0	0007	-1.70	.0446	20	.4207	1.30	.9032	2.80	.9974
-3.15 .0	0008	-1.65	.0495	15	.4404	1.35	.9115	2.85	.9978
-3.10 .0	0010	-1.60	.0548	10	.4602	1.40	.9192	2.90	.9981
-3.05 .0	0011	-1.55	.0606	05	.4801	1.45	.9265	2.95	.9984
-3.00 .0	0013	-1.50	.0668	.00	.5000	1.50	.9332	3.00	.9987
-2.95 .0	0016	-1.45	.0735	.05	.5199	1.55	.9394	3.05	.9989
-2.90 .0	0019	-1.40	.0808	.10	.5398	1.60	.9452	3.10	.9990
-2.85 .0	0022	-1.35	.0885	.15	.5596	1.65	.9505	3.15	.9992
-2.80 .0	0026	-1.30	.0968	.20	.5793	1.70	.9554	3.20	.9993
-2.75 .0	0030	-1.25	.1056	.25	.5987	1.75	.9599	3.25	.9994
-2.70 .0	0035	-1.20	.1151	.30	.6179	1.80	.9641	3.30	.9995
-2.65 .0	0040	-1.15	.1251	.35	.6368	1.85	.9678	3.35	.9996
-2.60 .0	0047	-1.10	.1357	.40	.6554	1.90	.9713	3.40	.9997
-2.55 .0	0054	-1.05	.1469	.45	.6736	1.95	.9744	3.45	.9997
-2.50 .0	0062	-1.00	.1587	.50	.6915	2.00	.9772	3.50	.9998
-2.45 .0	0071	95	.1711	.55	.7088	2.05	.9798		
-2.40 .0	0082	90	.1841	.60	.7257	2.10	.9821		
	0094	85	.1977	.65	.7422	2.15	.9842		
-2.30 .0	0107	80	.2119	.70	.7580	2.20	.9861		
-2.25 .0	0122	75	.2266	.75	.7734	2.25	.9878		
-2.20 .0	0139	70	.2420	.80	.7881	2.30	.9893		
-2.15 .0	0158	65	.2578	.85	.8023	2.35	.9906		
	0179	60	.2743	.90	.8159	2.40	.9918		
-2.05 .0	0202	55	.2912	.95	.8289	2.45	.9929		

Department of Mathematics University of Notre Dame Math 10120 – Finite Math Fall 2017

Name:		

Instructors: Basit & Migliore

# Practice Exam III #2

### November 14, 2017

This exam is in two parts on 9 pages and contains 13 problems worth a total of 100 points. You have 1 hour and 15 minutes to work on it. You may use a calculator, but no books, notes, or other aid is allowed. Be sure to write your name on this title page and put your initials at the top of every page in case pages become detached.

You must record on this page your answers to the multiple choice problems.

The partial credit problems should be answered on the page where the problem is given. The spaces on the bottom right part of this page are for me to record your grades, **not** for you to write your answers.

Place an  $\times$  through your answer to each problem.

1.	(a)	$(\mathbf{b})$	(c)	(d)	(e)
2.	(a)	(b)	(c)	(d)	(ullet)
3.	(a)	<b>(b)</b>	(c)	(d)	(e)
4.	<b>(a)</b>	(b)	(c)	(d)	(e)
5.	(a)	(b)	(c)	$(\mathbf{q})$	(e)
6.	(a)	(b)	(c)	$(\mathbf{q})$	(e)
7.	<b>(a)</b>	(b)	(c)	(d)	(e)
8.	(a)	(b)	(ullet)	(d)	(e)
9.	<b>(a)</b>	(b)	(c)	(d)	(e)
10.	(a)	(b)	(c)	(d)	(ullet)

MC.	
11.	
12.	
13.	
Tot.	