

**Math 10350 – Example Set 01A**  
**Functions Review: Sections 1.1, 1.2, & 1.3**

**Algebra Review - Arithmetic Rules & Laws of Exponent**

Complete the Arithmetic Operations below:

$$a(b + c) = \qquad \qquad \qquad \frac{a}{b} + \frac{c}{d} =$$

$$a \times b = \qquad \qquad \qquad a(bc) =$$

$$\frac{a + b}{c} = \qquad \qquad \qquad \frac{a}{b} \times \frac{c}{d} =$$

$$a \div \frac{b}{c} = \qquad \qquad \qquad \frac{\frac{a}{b}}{\frac{c}{d}} =$$

$$(a + b)(c + d) = \qquad \qquad \qquad (a + b)(a - b) =$$

$$(a + b)^2 = \qquad \qquad \qquad (a - b)^2 =$$

Complete the Laws of Exponents below:

$$a^m \cdot a^n = \qquad \qquad \qquad (ab)^m = \qquad \qquad \qquad \frac{a^m}{a^n} = \qquad \qquad \qquad ; a \neq 0$$

$$a^0 = \qquad \qquad \qquad ; a \neq 0 \qquad \qquad \qquad a^{1/m} = \qquad \qquad \qquad \left(\frac{a}{b}\right)^m = \qquad \qquad \qquad ; b \neq 0$$

$$\frac{1}{b^m} = \qquad \qquad \qquad (a^m)^n =$$

1. Give the lowest common denominator of fractions or rational functions in the sums below then evaluate the sum giving your answer as a single rational number or function with no common factors between its numerator and denominator.

$$\frac{3}{x^2} - \frac{x}{x^2 - 4} - \frac{2}{x^2 + 2x}$$

2. Simplify the following expression giving your answer in the form  $\frac{p(x)}{q(x)}$  where  $p(x)$  and  $q(x)$  has no common factors.

$$\frac{(x^2 + 2)^3 \cdot 4 - (4x + 1) \cdot 3(x^2 + 2)^2 \cdot 2x}{(x^2 + 2)^6}$$

**Definition** A **function** is a rule that assigns a (single) value  $y$  (in the range) to each value  $x$  (in the domain).

**(Basic Functions)** Give an example for each type of basic functions below and give their general form:

**A. Power Function:**

An example: \_\_\_\_\_

General form: \_\_\_\_\_

**B. Polynomial Function:**

An example: \_\_\_\_\_

General form: \_\_\_\_\_

Special Cases

Linear functions: \_\_\_\_\_

Quadratic functions: \_\_\_\_\_

**C. Rational Function:**

An example: \_\_\_\_\_

General form: \_\_\_\_\_

**D. Exponential Function:**

An example: \_\_\_\_\_

General form: \_\_\_\_\_

**E. Logarithmic Function:**





An example: \_\_\_\_\_

General form: \_\_\_\_\_

**F. Trigonometric Function:**

**Math 10350 – Example Set 01B**  
**Functions Review: Sections 1.1, 1.2, & 1.3**

1. The quantity  $y$  relates to  $x$  in each of the following graphs. For each graph determine whether  $y$  is a function of  $x$ .



**Price, Revenue, Cost & Profit.** Write an equation that connects the revenue from the sale of a certain product, the number of the product sold (or demand), and selling price of one unit of the product. How does revenue differ from the profit from the sale of the product?

2. (An application of Functions) A electronic company decides to set the sale price of a sound card at \$60 a piece for a monthly demand of 100 pieces. The sale price drops to \$50 a piece for a monthly demand of 200 pieces.

2a. Assuming that the sale price for one sound card is a linear function of the size of the monthly demand, find a formula for the sale price  $s$  dollars per sound card in terms of the size  $x$  of the monthly demand. What is the revenue function from the sales of the sound card?

$$\left(-\frac{x}{10} + 70; -\frac{x^2}{10} + 70x\right)$$

2b. Suppose further that the company has a monthly overhead cost of \$5000 for producing the sound cards and a cost of \$10 for producing each piece of the sound card. What is the monthly profit from the sales of the sound card in terms of month production assuming that all items produced are sold?

$$\left(-\frac{x^2}{10} + 60x - 5000\right)$$

