

**Math 10360 – Example Set 01A**  
**Derivative and Integration Review**

**Basic Properties of Derivatives:**

$$[f(x) + g(x)]' \stackrel{?}{=}$$

$$[f(x) - g(x)]' \stackrel{?}{=}$$

$$[c \cdot f(x)]' \stackrel{?}{=}$$

**Product/Quotient/Chain Rule.** Let  $f(x)$  and  $g(x)$  be differentiable functions. Derive formulas for the derivatives of  $p(x) = f(x) \cdot g(x)$  and  $q(x) = \frac{f(x)}{g(x)}$ .

**Product Rule:**

$$\frac{d}{dx}(f(x)g(x)) = (f(x)g(x))' =$$

**Chain Rule:**

$$\frac{d}{dx}(f(g(x))) = [f(g(x))]' =$$

**Quotient Rule:**  $\frac{d}{dx} \left( \frac{f(x)}{g(x)} \right) = \left( \frac{f(x)}{g(x)} \right)' =$

**Some Common Derivatives.** For any numbers  $k$  and  $n$ :

$$\frac{d}{dx}(k) \stackrel{?}{=}$$

$$\frac{d}{dx}(x^n) \stackrel{?}{=}$$

(Power Rule)

$$\frac{d}{dx}(\sin(x)) \stackrel{?}{=}$$

$$\frac{d}{dx}(\cos(x)) \stackrel{?}{=}$$

$$\frac{d}{dx}(\tan(x)) \stackrel{?}{=}$$

$$\frac{d}{dx}(\csc(x)) \stackrel{?}{=}$$

$$\frac{d}{dx}(\sec(x)) \stackrel{?}{=}$$

$$\frac{d}{dx}(\cot(x)) \stackrel{?}{=}$$

1. Find the following derivatives

a.  $\frac{d}{dx}(x^3 \tan(x)) \stackrel{?}{=}$

b.  $\frac{d}{dx}(\sqrt[3]{2x^2 - 5x + 3}) \stackrel{?}{=}$

2. Find the equation of the tangent line to the curve  $x \cos(1 + 2y) = 2y^2 - 8$  at the point  $(0, 2)$ .

(Check  $\frac{dy}{dx} = \frac{\cos(1+2y)}{4y+2x \sin(1+2y)}$ )

**Basic Integrals.** For any numbers  $k$  and  $n$ :

$\int x^n dx \stackrel{?}{=}$  (Power Rule)

$\int \sin(x) dx \stackrel{?}{=}$   $\int \cos(x) dx \stackrel{?}{=}$

$\int \sec^2(x) dx \stackrel{?}{=}$   $\int \csc^2(x) dx \stackrel{?}{=}$

$\int \csc(x) \cot(x) dx \stackrel{?}{=}$   $\int \sec(x) \tan(x) dx \stackrel{?}{=}$

## Method of Substitution

**3.** Find a formula for the function  $f(x)$  if its slope is given by the  $x \sin(x^2 + 1)$  and the graph of  $f(x)$  passes through the point  $(1, 2)$ .

**4.** Evaluate  $\int_0^1 \frac{x^2 + 2}{\sqrt{x^3 + 6x + 5}} dx$ .

**Math 10360 – Example Set 01B**  
**Derivative of Exponential & Logarithmic Functions: Section 3.9**

1. Consider the area function  $f(x) = \int_1^x \frac{1}{t} dt$  for  $x > 0$ . We call  $f(x)$  the logarithm function and denote it by  $f(x) = \ln x$ .

a.  $f'(x) = \frac{d}{dx}[\ln x] = \frac{d}{dx} \left[ \int_1^x \frac{1}{t} dt \right] \stackrel{?}{=} \text{_____} (x > 0)$

b.  $\frac{d}{dx}[\ln |x|] \stackrel{?}{=} \text{_____} (x \neq 0)$

c. What can you say about  $\ln(1)$ ? Define the value of  $e$  using the definition of the natural logarithm.

d. Using the Fundamental Theorem of Calculus, show that  $\ln(ax) = \ln(a) + \ln(x)$ . Prove further that (i)  $\ln(e^n) = n$  where  $n$  is an integer and (ii)  $\ln(e^r) = r$  where  $r$  is any rational number.

**Example A.** Find the area under the graph of  $y = \frac{-2}{4x-3}$  for  $0 \leq x \leq 1/2$ .

e. Give a sketch of the graph of  $y = \ln x$ . State clearly the domain and range of  $\ln x$ . What are the values of  $\lim_{x \rightarrow 0^+} \ln x$  and  $\lim_{x \rightarrow \infty} \ln x$ ?

f. The inverse  $g(x)$  of  $f(x) = \ln x$  exists. Why? Sketch the graph of  $g(x) = \exp(x)$ . Infer from (d) that we may write  $\exp(x) = e^x$  for all real value  $x$ .

g. Explain why we may write: (i)  $\ln(e^x) = x$  for all  $x$ , and  $e^{\ln y} = y$  for  $y > 0$ .

h. Using the fact that  $\frac{d}{dx}(e^x) = e^x$ , the chain rule and the fact that  $e^{\ln b} = b$  ( $b > 0$ ), show that  $\frac{d}{dx}(b^x) = b^x \ln b$ .

i. Using the change of base formula  $\log_b x = \frac{\ln x}{\ln b}$ , show that  $\frac{d}{dx}(\log_b x) = \frac{1}{x \ln b}$ .

**Example B.** Find the equation of the tangent line to the curve  $y = 4 - 2e^x + \ln \left( \frac{1-x^2}{1+x^2} \right)$  at  $x = 0$ .

**Review Exercise.** Complete the following formulas:

### Logarithmic Properties

$$\ln(ab) \stackrel{?}{=}$$

$$\ln(a^n) \stackrel{?}{=}$$

$$\ln\left(\frac{a}{b}\right) \stackrel{?}{=}$$

$$\ln(e) \stackrel{?}{=}$$

$$\ln 1 \stackrel{?}{=}$$

$$\ln(e^x) \stackrel{?}{=}$$

$$e^{\ln x} \stackrel{?}{=}$$

### Exponential Rules

$$a^n \cdot a^m \stackrel{?}{=}$$

$$\frac{a^n}{a^m} \stackrel{?}{=}$$

$$a^n \cdot b^n \stackrel{?}{=}$$

$$\frac{a^n}{b^n} \stackrel{?}{=}$$

### Derivative and Anti-derivative Rules

$$\frac{d}{dx}(\ln x) \stackrel{?}{=}$$

$$\frac{d}{dx}(e^x) \stackrel{?}{=}$$

$$\frac{d}{dx}(\log_b x) \stackrel{?}{=}$$

$$\frac{d}{dx}(b^x) \stackrel{?}{=}$$

$$\int \frac{1}{x} dx \stackrel{?}{=}$$

$$\int e^x dx \stackrel{?}{=}$$

$$\int b^x dx \stackrel{?}{=}$$