


1. 1. Let $U = \{2,4,6,8,10,12,14,16\}$
 $A = \{2,4,6,8,10\}$
 $B = \{4,8,12,16\}$
 Find $(A \cap B)'$. a. $\{12,16\}$ b. $\{2,6,10\}$ c. $\{2,4,6,8,10,12,16\}$ d. $\{4,8,12,14,16\}$
 e. U

2. Which of the following sets describes the shaded region in the diagram below:




- a. $R \cup [(S \cap T) \cap (S \cup T)']$ b. $(R \cup S) \cap R \cup T$ c. $(R \cap S) \cup (R \cap T)$ d. $R \cap (S \cap T)'$
 e. $R \cap [(S \cup T) \cap (S \cap T)']$
3. In a certain class, there are 15 female students. Suppose that 30 students in this class like to play basketball, amongst them are 10 females. If 5 males don't like to play basketball, how many students are there in the class? a. 40 b. 35 c. 30 d. 45
 e. 25
4. In a group of 34 people 19 like classical music, 15 like folk music, and 20 like jazz. Moreover, amongst them 9 like folk and classical music, 10 like folk and jazz music, and 8 like jazz and classical. Finally, 4 amongst them like all three categories. How many people in the above group like neither folk, nor classical nor jazz music.
 a. 30 b. 7 c. 0 d. 3 e. 5
5. A chess club consisting of 20 members must choose a president, a secretary and a treasurer. If the posts cannot be shared, in how many different ways can this be done?
 a. $P(20,3)$ b. 20^3 c. $C(20,18)$ d. 3^{20} e. $20 + 19 + 18$
6. A dance club consisting of 12 pairs must choose a committee of 5 members to write the statute of the club. If only one member can be selected from each pair, in how many ways can this be done? a. $P(12,5)$ b. $C(24,5)$ c. $P(12,5) \cdot 5^2$ d. $C(24,5) \cdot 2^5$ e. $C(12,5) \cdot 2^5$

7. What is the numerical value of $C(9,6)$?

- a. 105 b. 252 c. 54 d. 168 e. 84

8. How many five letter words, including nonsense words, use the letter "A" at least once?
 a. 25^5 b. $5^{26} - 5^{25}$ c. $26^5 - 25^5$ d. 5^{25} e. $5 \cdot 25^4$
9. A hand consists of 5 cards from a standard deck of 52 cards. How many such hands have exactly two kings?
 a. $C(4,2) \cdot C(50,3)$ b. $C(4,2) \cdot C(48,3)$ c. $C(4,2) + C(48,3)$ d. $2 \cdot C(50,3)$ e. $2 \cdot C(48,3)$
10. A hand consists of 5 cards from a standard deck of 52 cards. How many such hands have exactly three clubs?
 a. $C(13,3) + C(39,2)$ b. $3 \cdot C(39,2)$ c. 13^3 d. $C(13,3) \cdot C(49,2)$ e. $C(13,3) \cdot C(39,2)$
11. A math test consists of 20 true/false questions. If no answer is left blank, in how many different ways can the test be completed?
 a. $C(20,2)$ b. 2^{20} c. 20^2 d. $\frac{1}{2} \cdot P(20,2)$ e. $20!$
12. In the situation of the above problem, how many solutions have 18 or more correct answers?
 a. $P(20,20) + P(20,19) + P(20,18)$ b. $C(20,20) + C(20,19) + C(20,18)$
 c. 3 d. $P(20,18)$ e. $2^{20} + 2^{19} + 2^{18}$
13. An urn contains balls numbered 1 through 12, seven of them are green and five are yellow. In how many ways can one choose a sample of 5 balls, all of which are green?
 a. $P(7,5)$ b. $C(7,5)$ c. 12^5 d. 5^{12} e. 7
14. In the situation of the previous problem, how many samples have 3 or more green balls?
 a. $C(7,3) \cdot C(5,2) \cdot 3$ b. 6 c. $C(7,3) + C(7,4) + C(7,5)$
 d. $C(7,3) \cdot C(5,2) + C(7,4) \cdot C(5,1) + C(7,5) \cdot C(5,0)$ e. $C(7,3) \cdot C(5,2)$
15. A coin is thrown 12 times. How many sequences contain 3 or more heads?
 a. $2^{12} - [C(12,0) + C(12,1) + C(12,2)]$ b. 3^2 c. $C(12,3)$
 d. $2^{12} - [C(12,0) + C(12,1) + C(12,2)]$ e. 2^3
16. Three dice, colored red, green and blue are thrown. How many possible outcomes are there?
 a. $C(6,4)$ b. $P(6,4)$ c. 6^3 d. 18 e. 3^6

17. If one can only move East and South, how many different paths from A to D via B and C are there in the diagram below.



- a. $P(11,5)$ b. $C(2,1) + C(6,3) + C(3,1)$ c. $P(2,1) \cdot P(6,3) \cdot P(3,1)$ d. $C(2,1) \cdot C(6,3) \cdot C(3,1)$ e. $C(11,5)$

18. Determine the first three terms in the expression $(x + y)^{13}$.

- a. $x^{13} + 13x^{12}y + 78x^{11}y^2$ b. $x^{13} + 13x^{12}y + 39x^{11}y^2$
 c. $x^{13} + 13x^{12}y + 26x^{11}y^2$ d. $x^{13} + 13x^{12} + 78x^{11}$ e. $x^{13} - 13x^{12}y + 78x^{11}y^2$

19. In how many ways can 10 players in a tennis tournament be paired up for the first round?

- a. $\frac{10!}{2^5}$ b. $\frac{10!}{2 \cdot 5!}$ c. $\frac{10!}{5^2}$ d. $\frac{10!}{2^5 \cdot 5!}$ e. $10! \cdot 5^2$

20. In how many ways can 18 construction workers be divided into groups of 3, 5 and 10 members?

- a. $\frac{18!}{3!5!10!}$ b. $\frac{18!}{3!5!10!2^3}$ c. $\frac{18!}{3! + 5! + 10!}$ d. $\frac{3!5!10!}{18!}$ e. $\frac{18!}{3 \cdot 5 \cdot 10}$

answers:

1. d 2. e 3. a 4. d 5. a 6. e 7. e 8. c 9. b 10. e
 11. b 12. b 13. b 14. d 15. d 16. c 17. d 18. a 19. d 20. a

