Multiple Choice

1.(6 pts.) Suppose that f(2) = 3, f(3) = 2, g(2) = 3 and g(3) = 1. What is $(f \circ g)(2)$?

- 3 (a)
- (b) 6
- (c) 1
- (d) 2
- (e) 9

2.(6 pts.) Calculate

$$\lim_{x \to 2} \frac{x^2 - 4}{x^2 - 5x + 6}.$$

- (a) -4
- (b) 1
- (c) $-\infty$ (d) -1
- (e) it does not exist

3.(6 pts.) Calculate

$$\lim_{x \to 0^{-}} \frac{|x| \cos(x)}{x}.$$

- (a)
- (b) 1
- (c) -1
- (d) ∞
- does not exist (e)

4.(6 pts.) What is the equation of the tangent line to $y = \frac{1}{r^2}$ at the point $(2, \frac{1}{4})$?

- (a) $y = \frac{-1}{4}x + \frac{-1}{4}$ (b) $y = \frac{1}{4}x + \frac{3}{4}$ (c) $y = \frac{1}{4}x + \frac{-1}{4}$

- $(d) \quad y = 1 x$
- (e) $y = \frac{-1}{4}x + \frac{3}{4}$

5.(6 pts.) Which of the following functions has

$$f'(1) = \lim_{h \to 0} \frac{1}{h} \left(\frac{1+h}{2+h} - \frac{1}{2} \right)$$
?

- (a) $\frac{1+x}{x(2+x)}$ (b) $\frac{x}{1+x}$ (c) $\frac{1}{x}$ (d) $\frac{1+3x}{2+x}$ (e) none of the above

6.(6 pts.) What is the derivative of y = x[x] at x = 0? (Recall that [x] denotes the greatest integer $\leq x$.)


(a) 2


0 (b)


- (c) -1
- (d) 1

it does not exist, the function is not differentiable at x=0


Which of the following is a reasonable graph of f' given the graph of the function f below?









(d)







-1

-2







8.(6 pts.) If f(2) = 3, f'(2) = 2, g(2) = 4, g'(2) = 5 and h(x) = f(x)g(x), what is h'(2)?

(a) 7

(b) 10

(c) 26

(d) 23

(e) cannot be determined from the given data

9.(6 pts.) Let

$$f(x) = \frac{\sin(x) + \cos(x)}{\cos^2(x)} .$$

What is f'(0)?

 $(a) \quad 0$

(b) -1

(c) 1

(d) ∞

(e) 2

10.(6 pts.) Find $\lim_{t\to 0} \frac{\sin(5t)}{t}$.

(a) 5

(b) $\frac{1}{5}$

(c) $\frac{1}{25}$

(d) 1

(e) 25

Partial Credit

11.(10 pts.) Using the limit definition of the derivative, find f'(1) when $f(x) = \sqrt{x}$.

12.(10 pts.) A particle moves according to $s = 90t^{1/2} - 25t^{3/2} + 3t^{5/2}$ where $t \ge 0$ is measured in seconds and s in feet.

- (a) Find the velocity at time t = 1.
- (b) At which time is the velocity of the particle zero?
- (c) Find the distance covered between times t = 0 and t = 1.

13.(10 pts.) Define

$$f(x) = \begin{cases} x & x \le 1\\ x^3 + cx & x > 1 \end{cases}$$

where c is a constant.

For which value(s) of c is the function f continuous for all real numbers?

14.(10 pts.) Let $f(x) = x^2 + 1$. For which values of a does the tangent line to y = f(x) at the point (a, f(a)) intercept the y-axis at (0, -3)?

Name:		ANSWERS		
Instructor:		ANSWERS		
Exam	ī			

Exam I September 25, 2001

- The Honor Code is in effect for this examination. All work is to be your own.
- No calculators.
- The exam lasts for one hour.
- Be sure that your name is on every page in case pages become detached.
- Be sure that you have all 11 pages of the test.

Good Luck!

PLE	ASE MARI	X YOUR AN	ISWERS WI	TH AN X, r	not a circle!
1.	(a)	(b)	(c)	(ullet)	(e)
2.	(ullet)	(b)	(c)	(d)	(e)
3.	(a)	(b)	(ullet)	(d)	(e)
4.	(a)	(b)	(c)	(d)	(ullet)
5.	(a)	(ullet)	(c)	(d)	(e)
6.	(a)	(b)	(c)	(d)	(ullet)
7.	(a)	(ullet)	(c)	(d)	(e)
8.	(a)	(b)	(c)	(ullet)	(e)
9.	(a)	(b)	(ullet)	(d)	(e)
10.	(ullet)	(b)	(c)	(d)	(e)

DO NOT WRITE IN THIS BOX!					
Total multiple choice:					
11.					
12.					
13.					
14.					
Total:					