Math 166: Honors Calculus II Exam I Feb. 29, 1996 Name:_____

There are 6 questions with a total of 25 parts. Each part is worth 5 points for a total of 125 points.

- 1. Define each of the following functions precisely, including their domains.
 - a) $\log(x)$
 - b) The natural exponential function.
 - c) a^x for a > 0.
 - d) $\cosh(x)$
 - e) $\sin^{-1}(x)$

f) $T_n f(x; a)$

- 2. State each of the following theorems precisely.
 - a) The First Fundamental Theorem of Calculus.

b) The Theorem on Derivatives of Inverse Functions.

c) Taylor's Theorem with Integral Remainder.

3. a) Show
$$\frac{d}{dx} \int_{\cos(x)}^{\sin(x)} \sqrt{1-t^2} \, dt = 1$$

b) Compute
$$\frac{d}{dx}\left(\sqrt{x}^{\sqrt{x}}\right)$$
.

c) Prove
$$\frac{d}{dx} \tan^{-1}(x) = \frac{1}{1+x^2}$$
.

4. Compute the following integrals.

a)
$$\int \frac{x-1}{\sqrt{x-3}} \, dx$$

b)
$$\int \sin^3(x) \, dx$$

c)
$$\int x^2 e^x dx$$

d) $\int \log x \, dx$

e)
$$\int \frac{1}{\sqrt{x-x^2}} dx$$

$$f) \int \frac{1}{x^2 - 3x + 3} \, dx$$

5. a) Give the partial fraction decomposition of $\frac{3x^3 + 4x^2 + 2x + 1}{x^2(x^2 + 1)}$.

b) Convert to an integral involving trignometric functions (do not integrate): $\int \frac{x}{\sqrt{x^2 - 4x + 20}} \, dx.$

c) Convert to an integral involving rational functions (do not integrate): $\int \frac{\cos x}{2 + \cos x} dx$.

6. In a)–c) find the Taylor polynomials.

a)
$$T_n\left(\frac{1}{(1-x)^2}\right)$$
 (Hint: $\frac{d}{dx}\frac{1}{1-x} = \frac{1}{(1-x)^2}$).

b)
$$T_n\left(\log\frac{(x-1)^2}{(x+2)}\right)$$

c) $T_5(e^x \sin x)$

d) Let $f(x) = e^x$. Find n such that $|E_n f(x; 0)| \le 10^{-5}$ for all $x \in [-1, 1]$.