Math 222

Name: ______ November 17, 2004

Exam 1

This Examination contains 7 problems on 6 sheets of paper Do all your work in this booklet and show your computations. Calculators, books, and notes are not allowed. **Points**

Question	Possible	Earned	Question	Possible	Earned
1	10		5	15	
2	15		6	15	
3	15		7	15	
4	15				
			Total	100	

1. Let $\alpha = -3 + 7i \in \mathbb{Z}[i]$. Find another number $\beta \in \mathbb{Z}[i]$ so that $\alpha\beta = m(1+i)$ for some integer $m \in \mathbb{Z}$.

Math 222

2.

(a). Use the division algorithm for integers to find the base 5 representation of the number 303. In other words, find coefficients

 $0 \le r_i < 5$

so that

 $303 = r_m 5^m + r_{m-1} 5^{m-1} + \dots + r_1 5 + r_0.$

(b). What would you consider a reasonable base 5 representation for -1515?

Math 222

3. Consider the ring $\mathbb{Z}[\sqrt{5}] = \{a + b\sqrt{5} : a, b \in \mathbb{Z}\}.$ (a). Find an integer *a* so that the number $\alpha = a + \sqrt{5}$ satisfies the inequality $0 < \alpha < 1$.

(b). Show that there exists a number $\beta \in \mathbb{Z}[\sqrt{5}]$ which lies between 2 and $\frac{9}{4}$ on the number line.

(c). Assume that you know $\sqrt{5}$ to be an irrational number. Let $\alpha = a + b\sqrt{5} \in \mathbb{Q}(\sqrt{5})$, so $a, b \in \mathbb{Q}$. Suppose $\alpha \neq 0$. Find a formula for $c, d \in \mathbb{Q}$ so that

$$\frac{1}{\alpha} = c + d\sqrt{5}.$$

Why do you need to know that $\sqrt{5}$ is irrational? Explain this in detail.

4. For each of the pairs $\alpha, \beta \in \mathbb{Z}[i]$ below, find $\gamma, \rho \in \mathbb{Z}[i]$ so that

$$\beta = \alpha \gamma + \rho$$
, and $N(\rho) < N(\alpha)$.

(a). $\alpha = -1 + 3i, \beta = 21$

(b). $\alpha = 1 - 1i, \beta = 2 + 8i$

Math 222

5. For each pair of polynomials f and g below, find polynomials q and r so that

$$g = qf + r$$
 and $\deg(r) < \deg(f)$.

In each case, regard the coefficients of f and g as coming from the coefficient ring R. (a). $R = \mathbb{Z}[\sqrt{2}], \quad g = X^3 - X^2 + X + 1, \quad f = X - (1 + \sqrt{2}).$

(b).
$$R = \mathbb{Z}_{13}, g = X^4 + 12, f = X^3 + X^2 + X + 1.$$

6. Suppose that *y* is a root of the polynomial

$$X^5 + (n-1)$$

in \mathbb{Z}_n , where *n* is a positive integer. Show that *y* is a unit in \mathbb{Z}_n .

7. Let a = 90 and b = 168. (a). Find gcd(a, b).

(b). Find $t, s \in \mathbb{Z}$ so that ta + sb divides both a and b.