REFERENCES

Relevant Author Publications

- [1] Kareem, A. and Yalla, S.K. (1997), "Liquid Dampers: Recent Developments and Applications', submitted to the monograph on Structural Control.
- [2] Yalla S.K., Kareem, A. and Kantor, J.C. (1998), "Semi-Active Control Strategies for Tuned Liquid Column Dampers to Reduce Wind and Seismic Response of Structures," 2nd World Conference on Structural Control, Kyoto, John Wiley and Sons, 559-568.
- [3] Kareem, A., Kabat, S., Haan, F. Jr., Mei, G. and Yalla, S.K. (1998) "Modeling and Control of Wind Induced Response of a TV Tower," 2nd World Conference on Structural Control, Kyoto, John Wiley and Sons, 2421-2430.
- [4] Yalla, S.K. and Kareem, A. (1999) "Modeling of TLDs as Sloshing-Slamming Dampers," Wind Engineering into the 21st century: Proc. 10th Int. Conf. on Wind Engng., Copenhagen, Balkema Press, 1569-1575.
- [5] Yalla, S.K and Kareem, A. (2000a) "Optimum Absorber Parameters for Tuned Liquid Column Dampers," ASCE Journal of Structural Engineering, 125(8), 906-915.
- [6] Yalla, S.K., Kareem, A. and Kantor, J.C. (2000b), "Semi-Active Variable Damping Tuned Liquid Column Dampers," Proc. of the 7th SPIE Conf. on Smart Sructures and Materials, Newport Beach, CA.
- [7] Yalla, S.K. and Kareem, A. (2000c), "On the Beat Phenomenon in Coupled Systems," Proc. of the 8th ASCE Speciality Conf. on Probabilistic Mechanics and Structural Reliability, University of Notre Dame, CD-ROM.
- [8] Yalla, S.K., Kareem A. and Abdelrazaq, A.K. (2000d), "Risk-based Decision Analysis for the Building Serviceability," Proc. of the 8th ASCE Speciality Conf. on Probabilistic Mechanics and Structural Reliability, University of Notre Dame, CDROM.
- [9] Yalla, S.K. and Kareem, A. (2001a), "Beat Phenomenon in Combined Structure-Liquid Damper Systems," 23(6), Engineering Structures, 622-630.
- [10] Yalla, S.K. and Kareem, A. (2001b), "Hardware-in-the-loop Simulation: A case study for Liquid Dampers," Proceedings of the Mechanics and Materials Summer Conference, San Diego, CA.
- [11] Yalla, S.K., Kareem, A. and Kantor, J.C. (2001c), "Semi-Active Tuned Liquid Column Dampers for vibration control of structures," Engineering Structures (in press).

- [12] Yalla, S.K. and Kareem, A. (2001d), "Sloshing-Slamming -S²- Damper Analogy for Tuned Liquid Dampers," ASCE Journal of Engineering Mechanics (in press).
- [13] Yalla, S.K. and Kareem, A. (2001e), "Semi-active Tuned Liquid Column Dampers for mitigation of wind induced vibrations: Experiments," submitted to ASCE Journal of Structural Engineering, special issue on Semi-active control.
- [14] Yalla, S.K. and Kareem, A. (2001f), "Modeling TLDs using Impact Characteristics: Experiments and System Identification," to be submitted to Earthquake Engineering and Structural Dynamics.

Bibliography

- [1]Abe, M., Kimura, S. and Fujino, Y. (1996), "Control Laws for Semi-Active Tuned Liquid Column Damper with Variable Orifice Opening", 2nd Int. Workshop on Structural Control, Hong Kong.
- [2] Abramson, H.N. (ed.) (1966), "The Dynamic Behavior of Liquids in Moving Containers", NASA, SP-106.
- [3] Astrom, K.J and Wittenmark, B. "Adaptive Control", Addison Wesley, 1989.
- [4] Babitsky, V.I. (1998), Theory of Vibro-impact Systems and Applications, Springer, N.Y.
- [5] Balendra, T., Wang, C.M. and Cheong, H.F. (1995) "Effectiveness of Tuned Liquid Column Dampers for Vibration Control of Towers", Engineering Structures, 17(9), 668-675.
- [6] Bass, R.L., Bowles, E.B. and Cox, P.A. (1980), "Liquid Dynamic Loads in LNG Cargo Tanks," SNAME Transactions, 88, 103-126.
- [7] Bauer, H.F. (1972), "On the destabilizing effect of liquids in various vehicles- Part 1," Vehicle System Dynamics, 1, 227-260.
- [8] Bergman, L.A., Mc Farland, D.M., Hall, J.K., Johnson, E.A. and Kareem, A. (1989), "Optimal Distribution of Tuned Mass Dampers in Wind Sensitive Structures," Proceedings of 5th ICOSSAR, New York.
- [9] Blevins, R.D. (1984), Applied Fluid Dynamics Handbook, Van Nostrand Reinhold.
- [10] Brancaleoni, F. (1992), "The Construction phase and its Aerodynamic issues,"Aerodynamics of Large Bridges- Proceedings of the First International Symposium on Aerodynamics of large Bridges, Copenhagen, Denmark.
- [11] Brebbia et al. (1975), Vibrations of Engineering Structures, Lecture Notes in Engineering (10), Springer-Verlag.
- [12] Breukelman, B., Irwin, P., Gamble, S. and Stone, G. (1998), "The practical application of vibration absorbers in controlling wind serviceability and fatigue problems," Proceedings of Structural engineers World Congress, San Francisco, July.

- [13] Caughey, T.K. (1963), "Equivalent Linearization Techniques," J. Acoust. Soc. Am., 35, 1706-1711.
- [14] Chang, C.C. and Hsu, C.T. (1999), "Control performance of Liquid column vibration absorber," Engineering Structures, 20(7), 580-586.
- [15] Chang, P.M., Lou, J.Y.K. and Lutes, L.D. (1997), "Model Identification and Control of a tuned liquid damper," Engineering Structures.
- [16] Chen, W., Haroun, M. A. and Liu, F. (1996), "Large amplitude Liquid Sloshing in Seismically Excited Tanks," Earthquake Engineering and Structural Dynamics, 25, 653-669.
- [17] Chung, C.C. and Gu, M. (1999), "Suppression of vortex-excited vibration of buildings using tuned liquid dampers," Journal of Wind Engg. and Ind. Aerodynamics, 83, 225-237.
- [18] Delrieu, J.L.(1994), "Cost Effective Deepwater Platform Dedicated to West Africa and Brazil", Proc. 7th Int. Conf. on the behavior of Offshore Structures, 2, 805-812.
- [19] Den Hartog, J.P. (1956), Mechanical Vibrations, 4th Ed, McGraw-Hill.
- [20] Ditlevsen, O. (1999), Structural Reliability Methods, John Wiley and Sons.
- [21] Dyke, S.J., Spencer, B.F. Jr., Sain, M.K. and Carlson, J.D. (1996) "Modeling and Control of Magnetorheological Dampers for Seismic Response Reduction," Smart Materials and Structures, 5, 565-575.
- [22] Ehlers, J. (1987), "Active and Semi-Active Control Methods in Wave-Structure Interaction," (incomplete reference)
- [23] ENR magazine (1977), "Tuned mass dampers steady sway of skyscrapers in Wind".
- [24] Faltinson, O. M. (1978), "A Numerical Nonlinear Method of Sloshing in Tanks with Two-Dimensional Flow," Journal of Ship Research, 22.
- [25] Faltinsen, O.M. and Rognebakke, O.F. (1999), "Sloshing and Slamming in Tanks," Hydronav'99-Manouvering'99, Gdansk-Ostrada, Poland.
- [26] Fediw, A.A., Isyumov, N. and Vickery, B.J. (1993), "Performance of a one-dimensional Tuned sloshing water damper," Wind Engineering, London, 247-256.
- [27] Fujino, Y., Pacheco, B.M., Chaiseri, P. and Sun, L.M. (1988), "Parametric studies on TLD using circular containers by free-oscillation experiments," Struc. Engng and Earthquake Engng., 5(2), 381-391.
- [28] Fujino,Y., Sun, L.M., Paceno, B. and Chaiseri, P. (1992), "Tuned Liquid Damper (TLD) for Suppressing Horizontal Motion of Structures," ASCE Journal of Engineering Mechanics, 118(10), 2017-2030.
- [29] Fujino, Y. and Sun, L.M. (1993), "Vibration Control by multiple tuned liquid dampers," Journal of Structural Engineering, ASCE, 119(12).
- [30] Gao, H., Kwok, K.C.S. and Samali, B. (1997), "Optimization of Tuned Liquid Column Dampers", Engineering Structures, 19, 476-486.

- [31] Gao, H., Kwok, K.C.S. and Samali, B. (1999), "Charcteristics of multiple Tuned Liquid Column Dampers in suppressing Structural Vibration," Engineering Structures, 21, 316-331.
- [32] Grace, A. (1992), MATLAB Optimization Toolbox User's Guide, MathWorks, Inc.
- [33] Graham, E.W. and Rodriguez, A.M. (1962), "The Characteristics of Fuel Motion which affect Airplane Dynamics," Journal of Applied Mechanics, ASME, 123(9), 381-388.
- [34] Gurley, K. and Kareem, A. (1994), "On the Analysis and Simulation of Random Processes Utilizing Higher Order Spectra and Wavelet Transforms," Proc. of 2nd Int. Conf. on Computational Stochastic Mechanics, Athens, Greece, Balkema Publishers.
- [35] Hattori, M., Atsushi, A. and Yui, T. (1994), "Wave impact pressures on vertical walls under breaking waves of various types," Coastal Engineering, 22, 79-114.
- [36] Haroun, M.A. and Pires J.A. (1994), "Active orifice control in Hybrid liquid column dampers," Proceedings of the First World Conference on Wind Engineering, Vol.I, Los Angeles.
- [37] Hitchcock, P.A., Kwok, K.C.S., Watkins, R.D. and Samali, B. (1997), "Characteristics of Liquid column vibration absorbers (LCVA) -I and II", Engineering Structures, 19(2).
- [38] Hitchcock, P.A., Glanville, M.J., Kwok, K.C.S., Watkins, R.D. and Samali, B. (1999), "Damping properties and wind-induced response of a steel frame tower fitted with liquid column vibration absorbers," Journal of Wind Engineering and Industrial Aerodynamics, (83), 183-196
- [39] Housner, G.W., Bergman, L.A., Caughey, T.K., Chassiakos, A.G., Claus, R.O., Masri, S.F., Skelton, R.E., Soong, T.T., Spencer, B.F. and Yao, J.T.P. (1997), "Structural Control: Past, Present, and Future," Journal of Engineering Mechanics, 123(9), 897-971.
- [40] Honkanen, M.G. (1990), "Heel and Roll Control by Water Tank", Naval Architect, 215-216.
- [41] Hrovat, D., Barak, P. and Rabins, M. (1983), "Semi-active versus Passive or Active Tuned Mass Dampers for Structural Control," Journal of Engineering Mechanics, ASCE, 109(3), 691-705.
- [42] Hsieh, C.C., Kareem. A. and Williams, A.N. (1988), "Wave Phase Effects on Dynamic Response of Offshore Platforms," Proc. of the Offshore Mechanics and Arctic Engineering, ASME, Houston, TX.
- [43] Hunt, K.H. and Crossley, F.R.E. (1975), "Coefficient of restitution interpreted as Damping in Vibro-impact," Transactions of the ASME, Journal of Applied Mechanics, 440-444.
- [44] Huse, E. (1987), "Free Surface Damping Tanks to reduce Motions of Offshore Structures," Proc. of 6th Int. Symp. on Offshore Mechanics and Arctic Engineering, 313-324.

- [45] Ibrahim, R.I., Gau, J.S. and Soundarajan, A. (1988), "Parametric and auto-parametric vibrations of an elevated water tower- Part I: Parametric response," Journal of Sound and Vibration, 225(5), 857-885.
- [46] Ibrahim, R.A., Pilipchuk, V.N. and Ikeda, T. (2001), "Recent Advances in Liquid Sloshing Dynamics," Applied Mechanics Reviews, 54(2), 133-199.
- [47] Ioi, T. and Ikeda, K. (1978) "On the Dynamic Vibration Damped Absorber of the Vibration System", Bull. of Japanese Society of Mech. Engineers, 21 (151), 64-71.
- [48] Iserman, R., Schaffnit, J. and Sinsel, S. (1999), "Hardware-in-the-loop simulation for the design and testing of engine-control systems," Control Engineering Practice, 7, 643-653.
- [49] Ivers, D.E. and Miller L.R. (1991), "Semi-active Suspension Technology: an evolutionary view, Advanced Automotive Technologies, ASME, 327-46.
- [50] Kanai, K. (1961), "An Empirical Formula for the Spectrum of Strong Earthquake Motions," Bull. Earthquake Research Inst., Univ. of Tokyo, Japan, 39.
- [51] Kareem, A. and Sun, W.J. (1987), "Stochastic Response of Structures with Fluid-Containing Appendages," Journal of Sound and Vibration, 119(3).
- [52] Kareem, A. and Li, Y. (1988), "Stochastic response of a TLP to wind and wave fields," Department of Civil Engineering, University of Houston, Tech. report UHCE88-18.
- [53] Kareem, A. (1990), "Reliability analysis of Wind-sensitive structures," Journal of Wind Engg. and Ind. Aerodynamics, 23, 495-514.
- [54] Kareem, A. (1993), "Liquid Tuned Mass Dampers: Past, Present and Future," Proceedings of the Seventh U.S. National Conference on Wind Engineering, Vol. I, Los Angeles.
- [55] Kareem, A. (1994) "The next generation of Tuned liquid dampers," Proceedings of the First World Conference on Structural Control, Vol.I, Los Angeles.
- [56] Kareem, A. and Kline, S. (1995), "Performance of Multiple Mass Dampers under Random loading," Journal of Structural Engineering, ASCE, 121(2), 348-361.
- [57] Kareem, A. and Gurley, K. (1996), "Damping in Structures: Its evaluation and Treatment of Uncertainity," Journal of Wind Engineering and Structural Aerodynamics, 59, 131-157.
- [58] Kareem, A., Kijewski, T. and Tamura, Y. (1999), "Mitigation of motion of Tall buildings with recent applications," Wind and Structures, 2(3), 201-251.
- [59] Karnopp, D., Crosby, M.J. and Harwood, R.A. (1974), "Vibration Control using Semi-Active Force Generators," ASME Journal of Engineering for Industry, 96(2), 619-626.
- [60] Karnopp, D. (1990), "Design Principles for vibration control systems using Semiactive dampers," Journal of Dynamic systems, Measurement and Control, 112, 448-55.

- [61] Koh, C.G., Mahatma, S. and Wang, C.M. (1994) "Theoretical and experimental studies on rectangular liquid dampers under arbitrary excitations," Earthquake Engng. and Struc. Dynamics. 23, 17-31.
- [62] Kim, Y. (2001), "Numerical simulation of Sloshing flows with impact loads," Applied Ocean Research, 23, 53-62.
- [63] Kurino, H. and Kobori, T. (1998), "Semi-Active Structural response control by optimizing the Force-deformation loop of Variable Damper," Proceedings of Second World Conference on Structural Control, Kyoto, John Wiley and Sons, 407-417.
- [64] Kwok, K.C.S. and Samali, B. (1995), "Performance of Tuned Mass Dampers under wind loads," Engineering Structures, 17(9), 655-667.
- [65] Lepelletier, T.G. and Raichlen, F. (1988), "Nonlinear Oscillations in Rectangular Tanks," Journal of Engineering Mechanics, ASCE, 114(1).
- [66] Li, Y. and Kareem, A. (1990), "Recursive Modeling of Dynamic systems", Journal of Engineering Mechanics, ASCE, 116, 660-679.
- [67] Li, Y. and Kareem, A. (1993), "Simulation of Multi-Variate Random Processes: Hybrid DFT and Digital Filtering Approach," Journal of Engineering Mechanics, ASCE, 119(5), 1078-1098.
- [68] Lou, Y.K., Lutes, L.D. and Li, J.J. (1994), "Active Tuned Liquid Damper for Structural Control," Proceedings of the First World Conference on Wind Engineering, Vol.I, Los Angeles.
- [69] Lutes, L.D. and Sarkani, S. (1997), *Stochastic Analysis of Structural and Mechanical Vibrations*, Prentice-Hall.
- [70] Lyons, J.L. (1982), Lyon's Valve Designers Handbook, Van Nostrand Reinhold Co.
- [71] Maciejowski, J.M. (1989), Multivariable Feedback Design, Addison-Wesley, Inc.
- [72] Masri, S.F. and Caughey, T.K. (1966), "On the Stability of the Impact Damper," Journal of Applied Mechanics, ASME, 586-592.
- [73] McNamara, R. J. (1977), "Tuned Mass Dampers for Buildings," Journal of Structural Division, ASCE, 103, 9,1785-1789.
- [74] Mita, A. and Feng, M.Q. (1994), "Response control strategy for tall buildings using interaction between Mega and Sub-structures," Proc. Int. workshop on Civil Infrastructure systems, Taipei, Taiwan, PRC, 329-341.
- [75] Modi, V.J. and Welt F. (1987), "Vibration control using nutation dampers," Proceedings Int. conf. on Flow-induced vibrations, England, 369-376.
- [76] Modi, V.J., Welt, F. and Seto, M.L. (1995), "Control of Wind-Induced Instabilities though application of Nutation Dampers: A brief overview," Engineering Structures, 17(9), 626-638.
- [77] Natani, S. (1998), "Active Sloshing Damping System with Inverse Sloshing Generation," Proceedings of 2nd World conf. on Struc. Control, Kyoto, John Wiley and Sons.

- [78] Okomoto, T. and Kawahara, M. (1990), "Two-dimensional Sloshing analysis by Lagrangian Finite element method," Int. Journal of Numerical methods in Engng., 453-477.
- [79] Patel, M. H. and Witz, J.A., (1985), "On Improvements to the Design of Tensioned Buoyant Platforms", Behavior of Offshore Structures, 563-573.
- [80] Pilipchuk, V.N. and Ibrahim, R.A. (1997), "The Dynamics of a nonlinear system simulating liquid sloshing impact in moving structures," Journal of Sound and Vibration, 205(5), 593-615.
- [81] Rana, R. and Soong, T.T. (1998), "Parametric Study and Simplified Design of Tuned Mass Dampers," Engineering Structures, 20(3), 193-204.
- [82] Randall, S.E., Halsted, D.M. and Taylor, D.L. (1981), "Optimum Vibration Absorbers for Linear Damped Systems," Journal of Mechanical Design, ASME, 103, 908-913.
- [83] Reed, D., Yu, J., Yeh, H. and Gardarsson, S. (1998), "An Investigation of Tuned Liquid Dampers under large amplitude excitation," Journal of Engineering Mechanics, ASCE, 124, 405-413.
- [84] Roberson, R.E. (1952), "Synthesis of a Nonlinear Dynamic Vibration Absorber," Journal of Franklin Institute, 205-220.
- [85] Roberts, J.B. and Spanos, P.D. (1990), Random Vibration and Statistical Linearization, Wiley, New York.
- [86] Rojiani, K.B. (1978), "Evaluation of Steel Buildings to Wind Loadings," Ph.D. Thesis, University of Illinois, Urbana-Champaign.
- [87] Sadek, F., Mohraz, B. and Lew, H.S. (1998) "Single- and Multiple-Tuned Liquid Column Dampers for Seismic Applications," Earthquake Engng. and Struc. Dyn., 27, 439-463.
- [88] Sakai, F. *et al.* (1989), "Tuned Liquid Column Damper New Type Device for Suppression of Building Vibrations," Proc. Int. Conf. on High Rise Buildings, Nanjing, China, March 25-27.
- [89] Sakai, F., and Takaeda. S. (1991), "Tuned Liquid Column Damper (TLCD) for cable stayed bridges," Innovation in Cable-stayed Bridges, Fukonova, Japan.
- [90] Schmidt, R., Oumeraci, H. and Partenscky, H.W. (1992), "Impact loads induced by plunging breakwaters on vertical structures," Coastal Engineering, 1545-1558.
- [91] Sellars, F. H., and Martin, P.M. (1992), "Selection and Evaluation of Ship Roll Stabilization Systems," Marine Technology, 29(2), 84-101.
- [92] Semercigil, S.E., Lammers, D. and Ying, Z. (1992), "A new Tuned Vibration Absorber for Wide-band Excitations," Journal of Sound and Vibration, 156 (3), 445-459.
- [93] Shimizu, K. and Teramura, A. (1994), "Development of vibration control system using U-shaped tank", Proceedings of the 1st International Workshop and Seminar on Behavior of Steel Structures in Seismic Areas, Timisoara, Romania, 7.25-7.34.

- [94] Soong, T.T. (1991), Active Structural Control-Theory and Practice, Longman, London & Wiley, New York.
- [95] Soong, T.T. and Dargush, G.F. (1997), *Passive Energy Dissipation Systems in Structural Engineering*, Wiley, New York.
- [96] Spencer, B.F., Jr. and Sain, M.K. (1997), "Controlling Buildings: A New Frontier in Feedback," IEEE Control Systems Magazine: Special Issue on Emerging Technologies,"17(6), 19-35.
- [97] Sudjic, D. (1993), "Their love keeps lifting us higher," Telegraph magazine, May, 17-25.
- [98] Suhardjo, J. and Kareem, A. (1997), "Structural Control of Offshore Platforms," Proceedings of the 7th International Offshore and Polar Engineering Conference IOSPE-97, Honolulu.
- [99] Suhardjo, J., Spencer, Jr., B.F. and Kareem, A. (1992a), "Active Control of Wind excited Buildings: A Frequency Domain based Design Approach," Journal of Wind Engineering and Industrial Aerodynamics, 41-44.
- [100] Suhardjo, J., Spencer, Jr., B.F. and Kareem, A. (1992b), "Frequency Domain Optimal Control of Wind Excited Buildings," Journal of Engineering Mechanics, ASCE, 118(12).
- [101] Suhardjo, J. and Kareem, A. (2001), "Feedback-feedforward control of offshore platforms under random waves," Earthquake Engng Struct. Dyn., 30, 213-235.
- [102] Sun, L.M., Fujino, Y., Paceno, B. and Chaiseri, P. (1991), "Modeling Tuned Liquid Damper," Proc. of the 8th International Conference on Wind Engineering, Elsevier.
- [103] Sun, L.M. and Fujino, Y. (1994), "A Semi-analytical model for Tuned Liquid Damper (TLD) with wave breaking," Journal of Fluids and Structures, 8, 471-488.
- [104] Sun, L. M., Fujino, Y., Paceno, B. and Chaiseri, P. (1995), "The properties of Tuned Liquid Dampers using a TMD analogy," Earthquake Engng and Struc. Dynamics, 24, 967-976.
- [105] Symans, M.D. and Constantinou, M.C. (1999), "Semi-active control systems for seismic protection of structures: a state-of-the-art review," Engineering Structures (21), 469-487.
- [106] Symans, M.D. and Constantinou, M.C. (1997), "Experimental testing and Analytical modeling of Semi-active fluid dampers for seismic protection, " Journal of Intelligent Material Systems and Structures, 8(8), 644-657.
- [107] Symans, M.D. and Kelly, S.W. (1999), "Fuzzy Logic Control of Bridge Structures using Intelligent Semi-Active Seismic Isolation Systems," Earthquake Engineering and Structural Dynamics, 28, 37-60.
- [108] Tajimi, H. (1960), "A Statistical Method of Determining the Maximum Response of a Building Structure During an Earthquake," Proceedings 2nd World Conference on Earthquake Engng, Vol. II, Tokyo and Kyoto, Japan, 781-798.

- [109] Tamura, Y., Fujii, K., Ohtsuki, T., Wakahara, T. and Kohsaka, R. (1995), "Effectiveness of Tuned Liquid Dampers under Wind Excitation," Engineering Structures, 17 (9), 609-621.
- [110] Tokarcyzk, B.L. (1997), "The Mathematical Modeling of a Tuned Liquid Damper," M.S. Thesis, Department of Civil Engineering, Texas A&M University, College Station, TX.
- [111] Ueda. T., Nakagaki, R. and Koshida, K. (1992) "Suppression of wind-induced vibration by dynamic dampers in tower-like structures," J. of Wind Engg. and Ind. Aerodynamics, 41-44, 1907-1918.
- [112] Vandiver, J. K. and Mitome, S. (1978), "Effect of Liquid Storage Tanks on the Dynamic Response of Offshore Platforms," Dynamic Analysis of Offshore Structures: Recent Developments.
- [113] Venugopal, M. (1990), "A Toroidal Hydrodynamic Absorber for Damping Low Frequency motions of Fixed and Floating Offshore Platforms," Marine Technology, 27(1), 42-46.
- [114] Warburton, G.B. and Ayorinde, E.O. (1980), "Optimum Absorber Parameters for Simple Systems", Earthquake Engineers and Structural Dynamics, 8, 197-217.
- [115] Warburton, G.B. (1982), "Optimal Absorber Parameters for Various Combination of Response and Excitation parameters," Earthquake Engineering and Structural Dynamics, 10, 381-401.
- [116] Warnitchai, P. and Pinkaew, T. (1998), "Modeling of Liquid Sloshing in Rectangular Tanks with Flow Dampening Devices," Engineering Structures, 20(7), 593-600.
- [117] Weisner, K.B. (1979), "Tuned Mass Dampers to reduce building sway," presented at the ASCE Boston Convention, April.
- [118] Won, A.Y.J., Pires, J.A. and Haroun, M.A. (1996) "Stochastic seismic performance evaluation of tuned liquid column dampers", Earthquake Engng & Structural Dynamics, 25, 1259-1274.
- [119] Wu, G.X., Ma, Q.W. and Taylor, E.R. (1998), "Numerical Simulation of Sloshing Waves in a 3D tank based on a Finite Element Method," Applied Ocean Research, 20, 337-355.
- [120] Xu, Y.L, Samali, B. and Kwok, K.C.S. (1992), "Control of Along-wind Response of Structures by Mass and Liquid Dampers," Journal of Engineering Mechanics, 118(1), 20-39.
- [121] Xue, S.M., Ko, J.M. and Xu, Y.L. (2000), "Tuned Liquid Column Damper for suppressing pitching motion of structures," Engineering Structures, 23, 1538-1551.
- [122] Yamaguchi, H. and Harnpornchai, N. (1993), "Fundamental Characteristics of Multiple Tuned Mass Dampers for Suppressing Harmonically Forced Oscillation," Journal of Earthquake Engineering and Structural Dynamics, 22.

- [123] Yamazaki, S., Nagata, N. and Abiru, H. (1992), "Tuned active dampers installed in the Minato Mirai (MM) 21 Landmark tower in Yokohama," Journal of Wind Engng and Industrial Aerodynamics 41-44, 1937-1948.
- [124] Yang, J.N., Akbarpour, A. and Ghaemmaghami, P. (1987), "New Control algorithms for Structural Control," ASCE Journal of Engineering Mechanics, 113, 1369-86.
- [125] Yao, J.T.P. (1972), "Concept of Structural Control," ASCE, Journal of Structural Division, 98, 1567-74.
- [126] Yoshida, K., Yoshida, S. and Takeda, Y. (1998), "Semi-active control of Base Isolation using Feedforward information of Disturbance," Proceedings of Second World Conference on Structural Control, Kyoto, John Wiley and Sons, 377-386.
- [127] Yu, J., Wakahara, T. and Reed, D.A. (1999), "A Non-linear Numerical Model of the Tuned Liquid Damper," Earthquake Engng and Structural Dynamics, 28, 671-686.