

Throughout the term, we have been numerically solving ordinary differential equations, a critical predictive tool used widely in engineering. We developed the first and second order Runge-Kutta methods; a first order Runge-Kutta method is simply the forward Euler method. Let us consider the widely used *fourth order Runge-Kutta method*. Let us say we are solving N non-linear ordinary differential equations of the form

$$\begin{aligned}\frac{dy_i}{dt} &= f_i(y_j), \quad i, j = 1, \dots, N, \\ y_i(t_o) &= y_{io}.\end{aligned}$$

Then the fourth order Runge-Kutta algorithm to predict a solution at $t = t_o + \Delta t$ is as follows:

$$\begin{aligned}k_{1i} &= \Delta t f_i(y_j^n), \\ k_{2i} &= \Delta t f_i\left(y_j^n + \frac{k_{1j}}{2}\right), \\ k_{3i} &= \Delta t f_i\left(y_j^n + \frac{k_{2j}}{2}\right), \\ k_{4i} &= \Delta t f_i(y_j^n + k_{3j}), \\ y_i^{n+1} &= y_i^n + \frac{1}{6}(k_{1i} + 2k_{2i} + 2k_{3i} + k_{4i})\end{aligned}$$

1. Build a **subroutine ode4**, similar in structure to **subroutine ode1** or **subroutine ode2** of the course notes, which implements the fourth order Runge-Kutta algorithm.
2. Construct a super-structure and infra-structure of main programs and subroutines for solving systems of ordinary differential equations by either i) directly using the codes **commondata.f90**, **rhs.f90**, **ode1.f90**, **ode2.f90**, **solveode.f90**, **runode**, along with the original code you write, **ode4.f90**, or ii) building your own super- and infra-structures. In either case, you should have a set of modular **Fortran** codes whose compilation and execution is coordinated by an executable script code.
3. Use your fourth order Runge-Kutta solver to estimate a solution to the problem of Sec. 19.3.1:

$$\frac{dy_1}{dt} = -y_1, \quad y_1(0) = 1.$$

Take $\Delta t = 0.1$, estimate the solution for $t \in [0, 1]$, and report the error of your method at $t = 1$. Compare the error of the fourth order method to that of the first and second order methods at the same $t = 1$. *optional*: Demonstrate your method is a fourth order method by studying how the error converges as $\Delta t \rightarrow 0$.

4. Consider next the problem of Section 19.3.2 for a forced, damped Duffing equation:

$$\begin{aligned}\frac{dy_1}{dt} &= y_2, \quad y_1(0) = 1, \\ \frac{dy_2}{dt} &= -\beta y_1 - \delta y_2 - \alpha y_1^3 + f \cos y_3, \quad y_2(0) = 0, \\ \frac{dy_3}{dt} &= 1, \quad y_3(0) = 0,\end{aligned}$$

with $\alpha = 1$, $\beta = -1$, $\delta = 0.22$, and $f = 0.3$. Using your fourth-order Runge-Kutta method, reproduce the results of Figs. 19.3 and 19.4.

Prepare your solution with the L^AT_EX text processor. The only code you need include is your new **ode4.f90**. As always, use at least one equation, use concise language, prepare beautiful figures. Take a *four page maximum*. Grading: technical merit, 50 points; aesthetics, 50 points.