

AME 20214

Homework 2

Due: Thursday, 11 September 2014, in class

Consider the mathematics problem on the 20214 homepage,

$$\frac{dy}{dt} = -y, \quad y(0) = 1.$$

By inspection, the exact solution is  $y(t) = e^{-t}$ .

Now, using standard approximations of the derivative,  $dy/dt \sim \Delta y/\Delta t$ , we can write a discrete approximation of the differential equation as

$$\frac{y_{n+1} - y_n}{\Delta t} = -y_n, \quad y_0 = 1.$$

Solving for  $y_{n+1}$ , we get

$$y_{n+1} = y_n - \Delta t y_n, \quad y_0 = 1.$$

If this formula is repeated iteratively within a computer code, we get a discrete approximation for  $y(t)$ .

1. (10) Download the **Fortran** source code, identical to that on the 20214 primary homepage, <http://www.nd.edu/~powers/ame.20214/euler.f90>, compile and execute it, so as to reproduce the results on the homepage. Plot  $y(t)$  for  $t \in [0, 1]$  for the exact solution and the numerical approximation with  $\Delta t = 0.1$ .
2. (70) Run the code for several different values of  $\Delta t$  and generate a log-log plot of the magnitude of the error in your prediction of  $y$  at  $t = 1$ . That is, plot

$$|y_{exact}(t = 1) - y_{num}(t = 1)| \quad \text{versus} \quad \Delta t.$$

For small values of  $\Delta t$ , you will probably wish to suppress the printing of intermediate values and only print the final values at  $t = 1$ . See how small a value of  $\Delta t$  you can use before roundoff error corrupts the solution. Note, the exact value is

$$y_{exact}(t = 1) = e^{-1} = 0.3678794411714423215955237701614608674458\dots$$

3. (20) Repeat the previous exercise with double the precision and generate the equivalent plot. To adjust the precision from its default value is a tricky task, and several generalizations must be made to `euler.f90`. The many generalizations have already been made and are found in the modified file

<http://www.nd.edu/~powers/ame.20214/euler2.f90>

As written, the code `euler2.f90` should give identical results as `euler.f90`. The precision in `euler2.f90` can be doubled by simply changing the value of `p` from 4 to 8. For sufficiently small  $\Delta t$ , the error should be significantly lower than for the previous exercise. See how small a value of  $\Delta t$  you can effectively use before roundoff error corrupts the solution.

Adjusting the precision in **Fortran** can be a messy chore, fraught with machine-dependencies. The text of C&S has an extended discussion of the `kind` specification, see pp. 67-84, whose difficulty reflects well the complexities of machine precision.

For this homework, there is a *three page maximum*. All plots must adhere to the standards described in the course notes. Though not required, you may wish to compare on your own the computation time for the equivalent **MATLAB** program with small  $\Delta t$  to convince yourself that compiled languages have real advantages for problems requiring high accuracy.